



CARDIOMETABOLIC FOOD PLAN

Comprehensive Guide




Table of Contents

Why the Cardiometabolic Food Plan?	3
Features of the Cardiometabolic Food Plan	4
Touring Through the Food Plan	11
Therapeutic Foods for Cardiometabolic Health	14
Condition-Specific Therapeutic Considerations.....	20
Frequently Asked Questions	22
Resources and Tools for Success..	24


Why the Cardiometabolic Food Plan?

The Cardiometabolic Food Plan is designed for the following individuals:

- **Those with risk factors for cardiovascular disease (CVD)**
- **Those with risk factors for dysfunctional metabolic conditions such as metabolic syndrome, type 2 diabetes (T2D), or both**
- **Those with CVD (e.g., high blood pressure, high cholesterol, and elevated blood fats)**
- **Those with metabolic syndrome (e.g., high blood sugar, increased belly fat)**
- **Those with T2D**

Fortunately, diet and lifestyle interventions are effective in preventing and treating all of these conditions. This Comprehensive Guide explains what makes this food plan unique for the individual. It also provides answers to common questions people may have as they start to follow the plan.

Some people may question why the same food plan is suggested to treat both cardiovascular and metabolic diseases. While they may seem to be different types of conditions, cardiovascular and metabolic dysfunctions share similar causes, including inflammation, insulin resistance, and stress. This food plan is called “cardiometabolic” because it addresses both disease states. It allows people to use food medicinally to treat the common underlying causes.



Features of the Cardiometabolic Food Plan

This food plan was constructed with the input of a team of physicians and nutrition professionals to enhance therapeutic effects from eating. Recent evidence from scientific studies is also built into the foundations of the plan.

■ **Modified Mediterranean Approach:**

The traditional Mediterranean diet first attracted interest when it became apparent that people living on the Greek island of Crete had a greatly reduced risk of CVD. Since then, it has become perhaps the most well-known, well-studied diet for CVD, metabolic syndrome, and T2D. While the Mediterranean region comprises 16 different countries, people in these countries tend to eat a similar diet: whole, unprocessed foods such as fruits, vegetables, whole grains, nuts, legumes, dairy, extra virgin olive oil, spices, modest amounts of poultry, fish and red meat, and red wine. It is not that one of these foods is responsible for the cardiovascular and metabolic benefits of this way of eating, but the combination of all these foods.

A review of 50 studies on the Mediterranean diet reported that this way of eating favorably changes parameters of metabolic syndrome such as waist circumference, high-density lipoprotein cholesterol, triglycerides, systolic and diastolic blood pressure, and glucose.

Those who enjoy the cuisine of their own ethnic backgrounds (e.g., Hispanic, Indian, Chinese, or others) can still choose to include foods from the Mediterranean diet in their preferred style of eating. In this Guide, there is a list of “Therapeutic Foods” that will facilitate such inclusion. For example, people can choose to use extra virgin olive oil in cooking rather than corn or soybean oils, or incorporate tomatoes or a broader array of spices into their native cuisine for maximum impact. The key is to select whole, fresh, unprocessed foods rather than to buy pre-packaged foods that have been manufactured to be convenient. This is truly one of the most important takeaways of the Mediterranean diet!



Features of the Cardiometabolic Food Plan

- **Low Glycemic Index (GI) and Glycemic Load (GL):** Not all foods have the same impact on blood sugar and insulin. Ideally, blood sugar should remain relatively constant, without huge spikes that cause insulin to surge in order to shuttle sugar into tissues that need it, like muscles and liver. A rollercoaster of glucose and insulin levels throughout the day is not healthy in the long term, especially for those with cardiovascular, metabolic, or diabetic concerns. In fact, high blood sugar levels sustained over time can damage the blood vessels, blood cells, and other parts of the body that are sensitive to high sugar like the eyes and kidneys. Therefore, regulating sugar levels by eating foods that do not spike blood sugar is preferred on this food plan.

There are two ways to assess the impact of food on blood sugar. The first is the **glycemic index**, or GI, and the other is the **glycemic load**, or GL. GI is a way to measure the impact of a food on glucose levels. Every food with 50 grams of available carbohydrate can be measured for its GI, which is compared against the GI for glucose (a simple sugar) or white bread, both of which are considered to be high GI, because they lead to increases in blood sugar levels. The goal is to select foods that are low in GI so that only small fluctuations are produced in blood glucose and insulin levels.

It is important to recognize that the GI refers to the increase in blood sugar for a defined portion used for all foods. It does not necessarily take into account the portion of these foods eaten in a typical setting. For example, watermelon has a high GI, but the average person eats relatively little at a time, so the actual glycemic impact may not be all that significant.

Since we all eat a combination of foods, with differing GI levels, we use the concept of GL to capture a more comprehensive picture of the glycemic load of the diet as a whole. GL takes into account the quantity of food consumed and is thus a more realistic measure of glycemic effect.

Glucose is calibrated to 100 as the highest GI value; it is optimal to eat foods that have a GI of 55 or less. Examples of low GI foods include legumes (e.g., soy, kidney beans, lentils, chickpeas), nuts (e.g., almonds, walnuts), seeds (e.g., pumpkin, flax, sesame), most intact grains (e.g., oat, barley, spelt), and most vegetables and fruits (e.g., peaches, berries).

Medium GI foods have a GI of 56–69. While low GI foods are the best choices, it is not unreasonable to anticipate that most people will eat some medium GI foods periodically. One tip to remember is that if higher GI foods are eaten, eat them together with protein or fat, which blunts the glycemic effect of medium-GI foods and reduces the glycemic impact of a meal. Examples of medium GI foods include raisins, most breads and processed grains, many whole-grain choices such as brown or white basmati rice and whole-wheat breads, ice cream, and bananas, to name a few. Most starchy vegetables such as potatoes are also medium GI foods.



Features of the Cardiometabolic Food Plan

The most beneficial whole grains that are low GI with a low or medium GL include steel-cut oats, rolled oats, bulgur, and barley. Whole-grain rye bread and crackers with seeds and oats have both a low GI and GL. Other grains and breads are all medium GI and GL.

The food plan presented in this Comprehensive Guide provides a list of allowable foods that are low or moderate in GI or GL. Eating foods low in GI or portions low in GL helps to stabilize blood sugar throughout the day. When blood sugar is stabilized, people experience less hunger and cravings and have better health results overall, whether there are cardiovascular concerns, metabolic dysfunction, or blood sugar imbalance.

- **Targeted Calories:** A qualified health practitioner may prescribe a particular calorie amount. This calorie need is determined by many factors, including current body weight, basal metabolic rate, activity level, and cardiometabolic risk factor status. A targeted calorie plan that specifies individual food groups and servings can help people lose weight and achieve cardiometabolic balance. Many patients prefer more dietary structure to their daily eating to give them guidance and help them achieve balance in their eating choices. It is best to work together with a practitioner to determine what is best and suits one's schedule, bodily needs, and health goals.
- **Regular Eating Times:** The average meal should provide at least four hours of energy before the person feels the need to eat again. Following a meal, one should take note of the energy level over the next several hours. A balanced meal will result in a feeling of satisfaction, clear-headedness, the ability to focus, and sufficient energy. If the person experiences hunger within an hour or so of eating or reports feeling “brain fog,” shaky, or fatigued, it may be that the meal was missing something, most likely quality protein, fat, or enough whole-food carbohydrates to keep the blood sugar levels balanced. These low blood sugar symptoms may be a response to eating foods with a high GL, or foods that are not tolerated well (hidden food sensitivities), or there may be underlying digestive problems. If symptoms continue to persist after following the suggestions in this Comprehensive Guide (and the accompanying handouts from a healthcare practitioner), then the next step should be to assess for the presence of food intolerances and/or digestive dysfunction.



Features of the Cardiometabolic Food Plan

- **High in Fiber:** Along with the low GI and GL features of this plan, eating whole, relatively unprocessed foods also helps the patient take in more dietary fiber and less added sugar. Unfortunately, the average individual living in a Western country and eating a diet of processed foods gets about one-third of the fiber they need each day. Fiber is found in plant-based foods like whole grains, nuts, legumes, vegetables, and fruits. It is a form of carbohydrate that the body is unable to digest, giving the sensation of fullness without many calories.



There are two types of dietary fiber—insoluble and soluble—and they have somewhat different benefits. Insoluble fiber can be found in the bran (outer coat) of vegetables and whole grains. This type of fiber acts like a bulky “inner broom,” sweeping out debris from the intestine and creating more motility and movement. Soluble fiber attracts water and swells, creating a gel-like mass. The soluble fiber in foods like oat bran, barley, nuts, seeds, beans, lentils, peas, and some fruits and vegetables acts to slow digestion. (Psyllium, the main ingredient of common fiber supplements, is a soluble fiber.) In addition to slowing the release of glucose from food into the blood (thus warding off the spikes in blood sugar levels that need to be prevented in cardiometabolic diseases), soluble fiber also traps toxins and other undesirables (including cholesterol and other dietary fats) in the gut, helping to carry them to excretion, while also providing “food” for healthy bacteria in the digestive tract. With greater fiber in the diet, a cholesterol-lowering effect may be experienced. Overall, eating more fiber has several benefits, so it is recommended to aim for at least 5 grams of fiber per serving of a food, as this is considered an excellent level of fiber.

- **Low in Simple Sugars:** Another feature of the Cardiometabolic Food Plan is the reduction or absence of added sugars. Added sugars contribute a significant portion of calories to the American diet (e.g., sugar-sweetened beverages). Eating refined grains and foods with refined sugar has been positively associated with several CVD risk factors, including elevated blood fats (triglycerides), low good cholesterol (HDL-C), and decreased insulin sensitivity. Refined sugars are prevalent in sodas, fruit drinks, presweetened tea, coffee drinks, energy or sports drinks, and flavored milks.

It is essential to refrain from added sweeteners as much as possible when following this food plan. High-intensity sweeteners can lead to blood sugar imbalances, increased calories and subsequent weight gain, and continued cravings. Half of the battle against sweeteners can be won by reading food labels. Here is an extensive list of natural and artificial sweeteners that may be found on food labels:



Features of the Cardiometabolic Food Plan

Agave nectar, sucrose, fructose, glucose, brown rice syrup, maltitol, mannitol, corn syrup, corn syrup solids, xylitol, sorbitol, fructose, dextrose, evaporated cane juice, erythritol, NutraSweet, Splenda, aspartame, brown sugar, Demerara sugar, stevia, invert sugar, maltodextrin, maltose, maple syrup, confectioner's sugar, turbinado sugar, fruit juice concentrate, honey, barley malt, cane sugar, date sugar, caramel.

When it comes to satisfying a sweet tooth, one of the best things to do on this plan is to stay close to nature by eating low-GI fruits like apples and unsweetened applesauce, and using apple juice concentrate for cooking and baking. The least desirable option is to use white table sugar and other processed forms of sweeteners. Artificial (synthetic) sweeteners should be completely avoided as these high-intensity sweeteners may have negative effects on metabolism and could spur food cravings. Artificial sweeteners that should be avoided include aspartame (NutraSweet[®]), sucralose (Splenda[®]), acesulfame-K (Ace K, Sweet One, Sunett), and saccharin (Sweet N' Low[®]).

- **Balanced Quality Fats:** Dietary fats have had a bad reputation when it comes to heart disease. In the past decades, the popularity of fat-free foods grew exponentially. Unfortunately, what replaced much of the fat in processed products was refined sugar. This turned out to be a terrible mistake, since added sugar increases blood fats more than dietary fat does! Much of the research on the health benefits of dietary fats has found that what replaces dietary fat matters a great deal. For example, when saturated fat is replaced with refined carbohydrates, cardiovascular outcomes are not good. Instead, replacing saturated fats with unsaturated (liquid fats) can lead to an overall improvement in cardiovascular health.

Although saturated fats have long been referred to as “unhealthy fats,” especially when it comes to CVD, not all saturated fats are equal with respect to their effects on the body. Select saturated fats like butter and coconut oil have been included on this food plan as they are acceptable in small amounts.



Despite all the confusion about dietary fats, the message for someone with cardiometabolic issues is simple: emphasize high-quality oils and fats in the diet and minimize those that are associated with disease.



Features of the Cardiometabolic Food Plan

Eating too much saturated fat (e.g., animal fat, lard) and omega-6 fat (e.g., corn oil, soybean oil) can have “inflammatory” effects. These effects can be offset by adding “anti-inflammatory” fats to the diet. The anti-inflammatory fats are typically high in omega-3 fats compared with omega-6 fats, and include foods like fish, leafy greens, nuts, certain oils, and seeds. Organizations like the American Heart Association have recognized the health benefit of these anti-inflammatory oils and encourage individuals to include more omega-3 sources in the diet. For those with specific health concerns such as high blood fats (triglycerides), supplementation with fish oil, an excellent source of omega-3 fats, may be recommended to help bring blood fats into a normal range.



- **Condition-Specific Phytonutrients:** Plant foods contain thousands of compounds that affect body function. While 5,000 to 10,000 of these compounds have been identified, it has been suggested that many more remain unknown. The average person eats only a small amount of such phytonutrients every day: less than a teaspoon, which is a tiny amount compared with the many grams of protein, carbohydrate, and fat typically eaten, yet even this has dramatic effects in the body. Several of them, such as the bitter compounds in arugula and other green leafy vegetables, the resveratrol in grapes and red wine, and the astringent compounds in green tea appear to work favorably on pathways within the cell to create cardiometabolic balance. Certain phytonutrients can intervene to help with blood sugar regulation, lower LDL-cholesterol, and even help to get blood pressure back into a healthier range.




Here are some specific phytonutrients in the food plan and how they can help:

Phytonutrients that assist in blood sugar regulation: 4-hydroxyisoleucine in fenugreek seeds, charantin from bitter melon, cinnamaldehyde in cinnamon, isoflavones from soybeans, beta-glucan from oats and barley

Phytonutrients that assist in the reduction of LDL-cholesterol oxidation: Carotenoids including lycopene from tomatoes and red-pink fruit like grapefruit and watermelon, polyphenols like hydroxytyrosol from extra-virgin olive oil, polyphenols from green tea, isoflavones from soybeans, polyphenols from dark chocolate and pomegranate

Phytonutrients that assist in the reduction of blood pressure: Quercetin from onions, sulfur compounds from garlic, beta-glucan from whole oats, isoflavones from soybeans, polyphenols from pomegranate juice, polyphenols from dark chocolate





Touring Through the Food Plan

The Cardiometabolic Food Plan is designed to give a snapshot of the foods that people should choose from every day. A health practitioner may provide a set calorie amount and a specific number of selections within the food categories. A general description of the food categories below provides a foundation for any calorie-specific plans. Several foods in each category are highlighted as “Therapeutic Foods”; the next section explains why they are preferable options.

Cardiometabolic Food Plan

<p>PROTEINS <i>Proteins</i></p> <p>Servings/day _____</p> <p>Lean, tree-range, grass-fed, organically-grown, meats; non-GMO plant proteins; and wild-caught fish preferred</p> <p>Animal Proteins:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Cheese, low-fat-1 oz <input type="checkbox"/> Cheese, hard-½ oz <input type="checkbox"/> Cottage cheese, low-fat-½ c <input type="checkbox"/> Egg or 2 egg whites-1 <input type="checkbox"/> Egg substitute-½ c <input type="checkbox"/> Feta cheese, low-fat-1 oz <input type="checkbox"/> Fish/Shellfish: Halibut, herring, mackerel, salmon, sardines, tuna, etc-1 oz <input type="checkbox"/> 1 Meat: Beef, buffalo, elk, lamb, venison, egg, hemp, pea, rice, other wild game-1 oz <p>1oz serving = 35-75 calories, 7g protein</p> <p>LEGUMES <i>Proteins/Carbs</i></p> <p>Servings/day _____</p> <ul style="list-style-type: none"> <input type="checkbox"/> Bean soups-½ c <input type="checkbox"/> Black soybeans, cooked-½ c <input type="checkbox"/> Dried bean, lentils, peas, (cooked)-½ c 	<p><input type="checkbox"/> Hummus or other bean dips-½ c</p> <p><input type="checkbox"/> Refined beans, vegetarian-½ c</p> <p>1 serving = 110 calories, 15g carbs, 7g protein</p> <p>DAIRY & ALTERNATIVES <i>Proteins/Carbs</i></p> <p>Servings/day _____</p> <p>Unsweetened</p> <ul style="list-style-type: none"> <input type="checkbox"/> Butter/milk-4 oz <input type="checkbox"/> Kefir, plain-4 oz <input type="checkbox"/> Milk: Cow, goat-4 oz <input type="checkbox"/> Milk: Almond, coconut, flaxseed, 1 serving = 50-100 calories, 12g carbs, 7g protein <input type="checkbox"/> Coconut milk, regular, canned-1 T <input type="checkbox"/> Coconut milk, light, canned-1 T <input type="checkbox"/> Ghee/clarified butter-1 T <input type="checkbox"/> Mayonaisse, unsweetened-1 T <p>1 serving = 45 calories, 4g fat</p> <p>LOW SUGAR IMPACT RECOMMENDATIONS Limit to 1-2 servings per day</p> <p>LOW SUGAR IMPACT RECOMMENDATIONS Limit to 1-2 servings per day</p> <p>LOW SUGAR IMPACT RECOMMENDATIONS Limit to 1-2 servings per day</p>	<p>FATS & OILS <i>Fats</i></p> <p>Servings/day _____</p> <p>Minimally refined, cold-pressed, organic, non-GMO preferred</p> <ul style="list-style-type: none"> <input type="checkbox"/> Avocado-2 T <input type="checkbox"/> Butter-1 T, 2 T whipped <input type="checkbox"/> Chocolate, dark, 70% or higher cocoa-1 sq <input type="checkbox"/> 1 square = 7 g <input type="checkbox"/> Coconut milk, regular, canned-1 T <input type="checkbox"/> Coconut milk, light, canned-1 T <input type="checkbox"/> Ghee/clarified butter-1 T <input type="checkbox"/> Mayonaisse, unsweetened-1 T <p>1 serving = 45 calories, 5g fat</p> <p>LOW SUGAR IMPACT RECOMMENDATIONS Limit to 1-2 servings per day</p> <p>LOW SUGAR IMPACT RECOMMENDATIONS Limit to 1-2 servings per day</p> <p>LOW SUGAR IMPACT RECOMMENDATIONS Limit to 1-2 servings per day</p>	<p>FATS & OILS <i>Fats</i></p> <p>Servings/day _____</p> <p>Minimally refined, cold-pressed, organic, non-GMO preferred</p> <ul style="list-style-type: none"> <input type="checkbox"/> Olive, black or green-8 <input type="checkbox"/> Oil, cooking: Butter, coconut (virgin), grapeseed, olive, (extra virgin) rice bran, sesame-1 T <input type="checkbox"/> Oil, salad: Almond, avocado, canola, flaxseed, grapeseed, hempseed, high-oleic sunflower, olive (extra virgin), pumpkin seed, rice bran, sesame, sunflower, walnut-1 T <p>1 serving = 45 calories, 5g fat</p> <p>LOW SUGAR IMPACT RECOMMENDATIONS Limit to 1-2 servings per day</p> <p>LOW SUGAR IMPACT RECOMMENDATIONS Limit to 1-2 servings per day</p> <p>LOW SUGAR IMPACT RECOMMENDATIONS Limit to 1-2 servings per day</p>
--	---	--	---

<p>VEGETABLES Non-starchy <i>Carbs</i></p> <p>Servings/day _____</p> <ul style="list-style-type: none"> <input type="checkbox"/> Artichoke <input type="checkbox"/> Arugula <input type="checkbox"/> Asparagus <input type="checkbox"/> Bamboo shoots <input type="checkbox"/> Bok choy <input type="checkbox"/> Broccoli <input type="checkbox"/> Broccoli/flower <input type="checkbox"/> Brussels sprouts <input type="checkbox"/> Cabbage <input type="checkbox"/> Carrots <input type="checkbox"/> Cauliflower <input type="checkbox"/> Celery <input type="checkbox"/> Chard/Swiss chard <input type="checkbox"/> Chervil <input type="checkbox"/> Chives <input type="checkbox"/> Cilantro <input type="checkbox"/> Cucumbers <input type="checkbox"/> Dikon radishes <input type="checkbox"/> Eggplant <input type="checkbox"/> Endive <input type="checkbox"/> Escarole <input type="checkbox"/> Fenel <input type="checkbox"/> Garlic <input type="checkbox"/> Green beans <input type="checkbox"/> Greens (beet, collard, dandelion, kale, mustard, turnip) <input type="checkbox"/> Herbs/Spices, all <input type="checkbox"/> Horseradish 	<p>VEGETABLES Starchy <i>Carbs</i></p> <p>Servings/day _____</p> <ul style="list-style-type: none"> <input type="checkbox"/> Acorn squash, cubed-1 c <input type="checkbox"/> Butternut squash, cubed-1 c <input type="checkbox"/> Celery/cubed-1 c <input type="checkbox"/> Plantain (5 whole)-½ c <input type="checkbox"/> Potato: Purple, red, sweet, yellow-½ md <input type="checkbox"/> Potatoes, mashed-½ c <input type="checkbox"/> Root vegetable: parsnip, rutabaga-½ c <input type="checkbox"/> Yam-½ md <p>1 serving = 80 calories, 15 g carbs</p> <p>LOW SUGAR IMPACT RECOMMENDATIONS Short term: Consider removal Long term: Limit to 1 serving per day</p> <p>FRUITS <i>Carbs</i></p> <p>Servings/day _____</p> <p>Unsweetened, no sugar added</p> <ul style="list-style-type: none"> <input type="checkbox"/> Apple-1 sm <input type="checkbox"/> Apricots, fresh-4 <input type="checkbox"/> Banana, med-½ <input type="checkbox"/> Blackberries-½ c <input type="checkbox"/> Blueberries-½ c <input type="checkbox"/> Cherries-12 <input type="checkbox"/> Grapefruit-½ <input type="checkbox"/> Grapes-15 <input type="checkbox"/> Kiwi-1 <input type="checkbox"/> Mango-½ sm <input type="checkbox"/> Melon, all-1 c <input type="checkbox"/> Nectarine-1 sm <input type="checkbox"/> Orange-1 sm <input type="checkbox"/> Peach-1 <input type="checkbox"/> Pear-1 sm <input type="checkbox"/> Persimmon-½ <input type="checkbox"/> Pineapple-½ c <input type="checkbox"/> Plum-2 sm <input type="checkbox"/> Pomegranate seeds-½ c <input type="checkbox"/> Raspberries-1 c <input type="checkbox"/> Strawberries-1½ c <input type="checkbox"/> Tangerines-2 sm <p>1 serving = 40 calories, 15 g carbs</p> <p>LOW SUGAR IMPACT RECOMMENDATIONS Limit to 2 servings per day Avoid dried fruit and fruit juices</p>	<p>WHOLE GRAINS (100%) <i>Carbs</i></p> <p>Servings/day _____</p> <p>Unsweetened</p> <ul style="list-style-type: none"> <input type="checkbox"/> Amaranth* (cooked)-½ c <input type="checkbox"/> Barley, cooked-½ c <input type="checkbox"/> Bread-1 sl <input type="checkbox"/> Buckwheat/Kasha* (cooked)-½ c <input type="checkbox"/> Bulgur (cooked)-½ c <input type="checkbox"/> Couscous-½ c <input type="checkbox"/> Crackers, rye-4-7 <input type="checkbox"/> English muffin-½ <input type="checkbox"/> Kamut (cooked)-½ c <input type="checkbox"/> Millet* (cooked)-½ c <input type="checkbox"/> Macs-½ c <input type="checkbox"/> Oats* (cooked; rolled oats, steel-cut oats)-½ c <input type="checkbox"/> Pasta (cooked)-½ c <p>1 serving = 75-110 calories, 15 g carbs</p> <p>LOW SUGAR IMPACT RECOMMENDATIONS Short term: Consider removal Long term: Limit to 1-2 servings per day</p> <p>BEVERAGES</p> <ul style="list-style-type: none"> <input type="checkbox"/> Filtered Water <input type="checkbox"/> Green Tea <input type="checkbox"/> Low Sodium Vegetable Juice <input type="checkbox"/> Steamed Soy Milk (organic, unsweetened) <input type="checkbox"/> Unsweetened Nut/Seed Milks
---	--	---

Fats & Oils

Fats and oils should contribute no more than about one-third of total caloric intake, with less coming from saturated fats. It is advised to refrain from eating trans fats, which are typically found in highly-processed snack foods like potato chips and baked goods. Notice the foods in this category that are highlighted as Therapeutic Foods. Eat several servings of these foods every week. Keep oils in dark glass containers and throw them out if they smell rancid. Canned coconut milk is included in this category because it is predominantly a fat (not a dairy alternative) when purchased in the can. The boxed variety of coconut milk is a dairy alternative because it is lower in fat and contains some carbohydrate. Small, infrequent amounts of coconut oil are acceptable on this food plan.

Therapeutic Foods: Avocado, olives (black or green), and extra-virgin olive oil.

Nuts & Seeds

Nuts and seeds provide a variety of options to choose from when a snack is needed throughout the day. They can also be sprinkled on top of salads, cereals, or vegetables. Try for at least 1 to 2 servings of nuts on a daily basis. Aim for a mixed blend of unsalted nuts that are not roasted in oil. Tahini (sesame seed butter) can be drizzled over vegetables; almond butter can be spread on an apple slice or cashew nut butter on a sliver of pear. Incorporate some of the Therapeutic Foods from the nuts and seeds category every day.

Therapeutic Foods: Flaxseed, unsalted mixed nuts, and unsalted soy nuts.



Protein

Protein stabilizes blood sugar and should be included in every meal. In fact, unless there are medical restrictions on dietary protein intake, protein should provide about one-third of the daily calories. Yet in the average Western person's diet, protein comprises only about one-fifth of the total calories. Choose oily fish high in anti-inflammatory fats and low in methylmercury, such as anchovies, herring, mackerel, salmon, sardines, and trout. Other examples of omega-3 fats include free-range eggs (which have about one-quarter of the amount of anti-inflammatory fats found in a serving of fatty fish). It is acceptable for people with CVD to eat eggs on a daily basis. However, research suggests that it is better for those with T2D to eat less than one egg per day. The Therapeutic Foods in this category are soy-containing proteins and fish, which provide anti-inflammatory fats for heart health.

Therapeutic Foods: *Soy-based foods such as miso, tofu, tempeh, and soy protein, and omega-3 rich fish.*



Non-Starchy Vegetables

This category of foods provides medicinal compounds that can ward off cardiometabolic disease. Try vegetables not typically eaten aiming for 8 to 12 servings per day.

A serving is ½ cup of cooked vegetable or 1 cup of raw, leafy greens. The leafy green vegetables in this category are Therapeutic Foods because they help correct cardiometabolic disease. Many of these foods found in the Mediterranean diet have been shown to help lower blood pressure by relaxing blood vessels, reducing inflammation, and protecting blood vessels by lessening oxidative stress.

To make a juice from these vegetables, use a blender that keeps the fiber and particulates rather than just squeezing out the sugary juice. If buying pre-made tomato juice, read the ingredient label to make sure it does not contain sugar and is low in sodium.

Therapeutic Foods: *All greens such as beet, collard, dandelion, kale, mustard, turnip, chard/Swiss chard, and spinach, plus garlic, onions, and tomatoes.*



Legumes

Legumes are a perfect way to get quality protein and complex carbohydrates, both of which will help create a feeling of fullness and help keep blood sugar in a healthy range. It is recommended to eat at least 1 serving of legumes each day in the form of soup, cooked beans, dips, or hummus. Many of the Therapeutic Foods in this category can be found pre-packaged in the frozen foods section or bought fresh from the produce section.

Therapeutic Foods: *Edamame (green soybeans), black soybeans.*



Low-Fat Dairy and Alternatives

The healthcare practitioner will advise the patient whether they should consume non-fat or low-fat dairy products. Too much animal fat in the diet is not healthy for the cardiovascular system; however, there are some important types of fats in dairy (e.g., conjugated linoleic acid) that may be protective for the heart. Therefore, it is worthwhile to talk with a qualified healthcare provider about dietary fat intake. In this plan, there is no guidance on fat content of dairy products on the food list. The Therapeutic Foods include soy milk, and probiotic-containing foods to keep the gut healthy.

Therapeutic Foods: Soy milk, yogurt, kefir.



Starchy Vegetables

Depending on recommended calorie intake, consumption of starchy vegetables should be limited to 1 serving per day as they tend to impact blood sugar (they are moderate GI). Only moderate GI starchy vegetables are on this list. High-GI vegetables like white potatoes have been left off deliberately as these foods can cause a spike in blood sugar. Beets are rich in phytonutrients that are heart healthy, thus they are considered a Therapeutic Food.

Therapeutic Foods: Beets.



Fruits

These low to moderate GI fruits will “hit the spot” when someone is feeling the need for something sweet. Only 2 servings per day (on a lower calorie plan) are recommended. The Therapeutic Foods in this category contain important phytonutrients that open blood vessels and help with blood sugar control, so it is recommended that either be one of the two choices of fruit each day. It’s always better to couple fruit with a little bit of protein or fat to offset a rise in blood sugar.

Therapeutic Foods: Blueberries, pomegranate.



Grains

Whole grains—those with an intact bran outer coat—are essential for people with cardiometabolic diseases to eat as they provide an excellent source of fiber and other phytonutrients that assist with cholesterol reduction and blood sugar stability. Oats and barley, the two Therapeutic Foods in this category, contain beta-glucan to help with maintaining low cholesterol and blood sugar. Although these are important foods for people with CVD and metabolic disease, grains can also be over-eaten, particularly in their processed forms. Grains can be a trigger food for some people, therefore it is best to limit intake (depending on calorie intake) to 1 to 2 servings per day or omit them entirely from the diet. Patients with celiac disease or gluten intolerance should refrain from eating gluten-containing grains like barley, rye, oats (frequently cross-contaminated through processing of grains unless specified as “certified gluten free oats”), wheat, and spelt.


Therapeutic Foods: Oats, barley.



Therapeutic Foods for Cardiometabolic Health

All the foods on this plan are acceptable unless there is a known food allergy or known sensitivity to any of the foods. There are, however, specific foods that deserve special mention as Therapeutic Foods because of their medicinal attributes for CVD, metabolic syndrome, and T2D.

- **Avocado:** An avocado is the perfect food for cardiovascular health as it contains a considerable amount of fiber (about 9 grams in a whole avocado), healthy monounsaturated fat, and potassium (almost 700 mg for a whole avocado). A study comparing markers of inflammation in individuals who ate a plain hamburger with those who ate a hamburger with half an avocado found that the avocado-laden burger prevented much of the inflammation that occurred compared with eating the hamburger alone!
- **Extra-virgin olive oil (EVOO):** One of the main foods on the Mediterranean diet that has intrigued researchers is EVOO. People with heart disease who incorporate more EVOO in their diet demonstrate improvement in the ability of their blood vessels to expand along with a reduction in inflammation. Research indicates that consuming close to 50 grams per day (about 10 teaspoons) did not result in weight gain. When choosing olive oil, extra virgin is an important type to look for as many of the studies have shown that EVOO is preferable to other types of olive oil.
- **Black or green olives (*Olea europaea* L.):** Olive oil is a medicinal food for those with CVD, and so is the olive fruit itself. Research indicates that there are several protective phenolic compounds in the olive, such as hydroxytyrosol and oleuropein. Hydroxytyrosol can prevent CVD by reducing the expression of sticky molecules on the lining of the blood vessels. It also helps to prevent the oxidation of LDL-cholesterol. Some of these olive phytonutrients make their way into EVOO and it is thought that these compounds are what make EVOO so healthy!



- **Ground flaxseed:** Flaxseeds are one of the richest plant sources of anti-inflammatory omega-3 fats. However, for proper digestion and subsequent absorption of omega-3s, the flaxseeds have to be broken open to create flaxseed meal. Flaxseeds can be easily ground into meal with a small coffee grinder and spooned into smoothies or warm cereal, or baked into healthy muffins. Alternately, pre-ground flaxseed meal can be bought at the grocery store. Store ground flaxseed in the freezer after opening the package to keep it from turning rancid.

In addition to containing omega-3 fats, ground flaxseed meal is an excellent source of fiber and the best known food source of lignans. Lignans are phytonutrients that are antioxidant, provide fiber, and contain phytoestrogen, all of which help with the prevention of CVD and insulin resistance. One study showed that 30 grams of ground flaxseed (1 ounce) consumed each day reduced the incidence of metabolic syndrome by 20% after 12 weeks through lowered blood pressure and blood sugar and reduced belly fat.

- **Mixed nuts and other nuts:** Mixed nuts (especially walnuts and almonds) contain healthy monounsaturated and polyunsaturated fats together with phytochemicals like plant sterols (plant compounds that block intestinal absorption of cholesterol), polyphenols, antioxidants, and fiber. When mixed nuts replace sources of saturated fat in the diet at a level of 1 to 2 ounces of nuts daily, they reduce CVD risk by lowering LDL-cholesterol by 2 to 19%. They also help reduce susceptibility of LDL to oxidation, improve blood vessel expansion, and quell inflammation.



- **Quality soy products (miso, tofu, edamame, soy protein, soy nuts):** Soy protein and isoflavones (phytoestrogens) have been touted for their potential role in improving risk factors for cardiovascular disease. High-quality, non-GMO soy is recommended on this food plan, and can be obtained by selecting organically grown soy. Soybeans contain polyunsaturated fat, fiber, vitamins, minerals, and isoflavones, all of which make them an ideal food for cardiovascular health. A review of published studies indicated that eating soy was associated with a significant decrease in blood pressure. In people at risk for cardiovascular events, ingestion of soy isoflavones correlated with improvements in blood vessel expansion and reduced thickness of the carotid artery. It has also been suggested that soy isoflavones help to reduce artery stiffness.

Choose high-quality soy, minimize processed soy products like soy dogs, other soy meat substitutes, and soy candy bars, which tend to have other ingredients added that may not be so healthful. In addition, make sure that soymilk is unsweetened. Another way to achieve these health benefits is to try roasted soybeans, or “soy nuts,” as a snack. They are tasty and nutritious, with one-quarter of a cup supplying about 100 calories, 9 grams of protein, and 2 grams of fiber. They contain healthy unsaturated fat and close to 35 milligrams of soy isoflavones (depending on the type of soybean). Preferably, choose unsalted soy nuts.

- **Fish:** Research studies support fish consumption for cardiovascular health. Even a modest consumption of 1 to 2 servings each week, especially of higher omega-3 fatty acid-containing fish such as wild salmon, reduces a person’s risk of coronary death by 36%. Those who eat 5 or more servings of fish a week are advised to eat a variety of seafood, limiting their intake of high mercury-containing fish. Some fish, such as bonito, tuna, and sardines, contain small proteins that are protective for the heart and can help to reduce blood pressure.



- **Greens (beet, collard, dandelion, kale, mustard, turnip, Swiss chard, lettuce, micro greens, spinach):** Green leafy vegetables are good for just about every person and many health conditions. When it comes to cardiometabolic disease, they are extra important because they supply a plant source of nitrates, a compound that opens up blood vessels. It has been estimated that 1 serving of a high-nitrate vegetable, like spinach, results in more nitric oxide production than what is naturally produced in the body in one day! Other foods that are particularly high in dietary nitrate include celery, celeriac, chervil, Chinese cabbage, cress, endive, fennel, kohlrabi, leek, lettuce, parsley, red beetroot, spinach, and arugula. The best lettuce choices are those that are darker green or magenta in color; rather than the iceberg varieties.
- **Onions:** Onions rank as one of the best sources of anti-inflammatory and antioxidant flavonoids, particularly quercetin. In addition, they contain detoxifying sulfur-containing compounds, which enable the body to excrete toxins more effectively. Animal studies show that onions may help to reduce both blood clotting and levels of cholesterol and blood fats (triglycerides).
- **Tomato:** One staple of the Mediterranean diet is tomatoes. Tomatoes, especially cooked tomatoes, are excellent sources of lycopene, a free radical-quenching carotenoid. They also contain other heart-protective carotenoids like β -carotene and α -tocopherol. Cell studies have shown that the carotenoids in tomatoes prevent the oxidation of LDL-cholesterol and, therefore, help to prevent heart disease. Large human studies have indicated that greater intakes of lycopene in the diet are associated with better cardiovascular health. Those who are sensitive to the nightshade family of plants should avoid eating tomatoes.
- **Yogurt and kefir:** Foods that contain live active cultures (“probiotics”) help in establishing healthy gut microflora. Some research suggests that the quality of the bacteria in the gut plays a role in inflammation, body composition, and even cholesterol levels in the blood. Good health starts in the gut, especially when it comes to cardiometabolic diseases.



- **Blueberries:** Blueberries are packed with healthy phytonutrients for the heart and blood vessels. Studies show that the flavonoid anthocyanin in blueberries helps to keep blood vessels open and even lower heart attack risk. In a study of more than 90,000 women, greater intakes of this compound were shown to reduce heart attack risk. They have also been shown to help with blood sugar control in those with diabetes. Blueberries have one of the highest antioxidant levels among all fruits, vegetables, spices, and seasonings common in the American diet. Another benefit is their low GI. They can even be frozen without compromising their nutritional quality! Choose organically-grown berries as they tend to be higher in phytonutrients compared with their conventionally-grown counterparts.
- **Pomegranate:** While it is advised not to drink fruit juices on this plan due to their high sugar content, there is one exception to the rule: pomegranate juice. Studies indicate that small amounts of pomegranate juice (50 milliliters, or a little over 1.5 ounces) has been shown to help reduce blood lipids, blood pressure, and plaque buildup in arteries.
- **Barley:** Barley has a rich nutlike flavor and chewy consistency and contains many important components for cardiometabolic disease, while being low in GI. Barley is high in beta-glucan, a fiber that may help lower cholesterol, blood glucose, and insulin responses. Beta-glucan is also able to modify LDL lipoprotein particles in a favorable way—making them large and fluffy rather than small and dense. Those with gluten intolerance or celiac disease should refrain from eating this gluten-containing grain.



- **Oats:** Similar to barley, oats contain fiber, phytochemicals, and the beta-glucan compound that helps reduce levels of both cholesterol and blood sugar. What makes oats unique relative to barley is the presence of antioxidant compounds called avenanthramides, which help prevent free radical damage to LDL-cholesterol, thus reducing the risk of CVD. Whole grains such as oats are an excellent source of magnesium, an important mineral in the regulation of glucose and insulin.
- **Cocoa:** This plan allows for the inclusion of dark chocolate (70% cocoa and higher) because of the cocoa polyphenols that appear to be helpful in keeping arteries wide open and protected from harmful free radicals. The healthy way to eat chocolate is to make sure it's somewhat bitter with a higher percentage of cacao and minimal sweeteners (and no milk) added. Dark chocolate has caffeine, so caffeine-sensitive people should take that into consideration. One square of baker's chocolate per day has been shown in studies to have health benefits.
- **Green Tea:** Drinking green tea has been shown to be beneficial for reducing blood pressure and blood fats (triglycerides, cholesterol, and LDL-cholesterol) and may even help with lowering blood sugar. While studies vary in the amount and type of green tea used, the general recommendation for green tea consumption is based on the amount typically consumed in Asian countries, which is about 3 cups per day, supplying 240-320 mg of polyphenols. Talk with a healthcare practitioner as to whether the caffeinated or non-caffeinated variety is indicated.



Condition-Specific Therapeutic Considerations

If there is...	Reduce these foods	Increase these foods
High Blood Pressure	<ul style="list-style-type: none"> ■ Sodium (limit to 2,000 milligrams—about 1 teaspoon per day) ■ Processed foods (packaged, canned) and frozen meals ■ Fast foods ■ Soft drinks ■ Added sweeteners ■ Caffeinated beverages ■ Alcohol ■ Use of oils in high-heat cooking 	<p>Proteins:</p> <ul style="list-style-type: none"> ■ Soy (fermented) 30 grams daily: natto, tofu, tempeh, miso ■ Hydrolyzed whey (30 grams daily) ■ Legumes (vegetable protein) ■ Cold water fish: sardines, herring, haddock, salmon, or trout ■ Foods high in L-arginine: lentils, hazelnuts, walnuts, peanuts ■ Mixed nuts (unsalted) ■ Cocoa (30 grams dark chocolate per day, or about 1 square of baker's chocolate) <p>Vegetables and Fruit:</p> <ul style="list-style-type: none"> ■ Blueberries ■ Seaweed (hijiki and wakame), 3 to 4 grams per day ■ Garlic, 1-4 fresh cloves/day ■ Mushrooms, ½ cup shitake, maitake ■ Celery, 4 stalks/day ■ Foods high in lycopene: tomatoes, guava, watermelon, apricots, pink grapefruit, papaya ■ Pomegranate juice <p>Fats and Oils:</p> <ul style="list-style-type: none"> ■ Olive, flaxseed, and sesame oils <p>Carbohydrates:</p> <ul style="list-style-type: none"> ■ Increase complex carbohydrates ■ Increase high-fiber whole grains: oatmeal, oatbran, barley, wheat ■ Fiber: psyllium 7gm
Metabolic Syndrome	<ul style="list-style-type: none"> ■ Sucrose and fructose ■ Processed foods ■ Refined carbohydrates like white-flour breads and pasta ■ Fast foods ■ Saturated animal fat ■ Over-cooked foods (e.g., meats) ■ Food or drink in plastic containers ■ Large meals (aim for smaller meals) ■ Eggs (less than one per day if blood sugar is elevated) ■ Fruit juices 	<ul style="list-style-type: none"> ■ Extra-virgin olive oil ■ Cinnamon ■ Green tea ■ Mixed nuts (unsalted) ■ Omega-3 fat sources from food and supplement sources (2 to 4 grams per day, especially in the case of high blood triglycerides) ■ Fiber sources such as whole grains and legumes



Condition-Specific Therapeutic Considerations

If there is...	Reduce these foods	Increase these foods
Dyslipidemia	<ul style="list-style-type: none"> ■ Sucrose ■ Processed foods ■ Fast foods ■ Refined carbohydrates ■ Trans fats (found in processed foods) ■ High amounts of saturated fats (e.g., cream, full-fat cheeses, fatty meat) ■ Margarine 	<ul style="list-style-type: none"> ■ Fish ■ Green leafy vegetables ■ Low-glycemic index fruits ■ Tomatoes ■ Extra-virgin olive oil (about 5 TBSP per day) ■ Green tea ■ Soybeans (e.g., soymilk, tofu, tempeh) ■ Dark chocolate ■ Pomegranate ■ Seeds and nuts (especially sesame) ■ Red wine (check with a healthcare practitioner) ■ Garlic (1 to 2 cloves per day) ■ Rice bran oil



What are the best sweeteners?

As much as possible, refrain from eating any added sweeteners due to the damaging effects that sugar can have on blood vessels and other body organs. When craving something sweet, choose from the low to moderate GI fruits listed on the Cardiometabolic Food Plan. Eating an apple or having a handful of fresh blueberries can help to quell sugar cravings. This plan does not include artificial sweeteners. Stevia may be used in limited amounts for food preparation. Only a small amount is required as it is an intensely sweet botanical.

What drinks are allowed?

Drink water throughout the day. A good goal is to drink about half one's body weight in ounces (e.g., a 160-pound person would drink 80 ounces, or 10 cups), with a limit of 100 ounces daily. Drink less water with a meal and more in between meals. Unsweetened herbal teas, such as mint, chamomile, or hibiscus, are also good choices as they provide flavor and medicinal compounds. Green tea helps with blood sugar control. Typical recommendations for herbal or green tea are 1–3 cups per day. Caffeine-sensitive individuals may be advised to drink decaffeinated varieties of green tea.

What about eating eggs?

There has been an ongoing debate about eggs, particularly when it comes to heart disease, as originally it appeared that the cholesterol in eggs made blood cholesterol rise. It is now known that this is not so and that people with CVD may eat eggs on a daily basis. However, other research suggests that it is better for those with T2D to have fewer eggs, typically less than one egg per day.

What condiments are acceptable?

Many condiments, such as teriyaki sauce, ketchup, barbecue sauce, and glazes, have sugar added. It would be best to avoid them entirely and to make homemade versions that are healthier. Adding more herbs and spices to foods can replace unhealthy condiments.

What about drinking alcohol?

The alcohol question always surfaces, especially when talking about the Mediterranean diet, which includes red wine. There are phytonutrients present within red wine, such as resveratrol, that help to relax blood vessels, increase good cholesterol, and bring blood sugar into balance. However, red wine is also a form of sugar and added calories, and may not be good for everyone. A health practitioner who knows the individual patient's health history can make a determination as to whether moderate or occasional use of alcohol would be appropriate and consistent with health goals. For a generally healthy man, 1 to 2 glasses (5 ounces or $\frac{2}{3}$ cup) of red wine, depending on body weight may be perfectly acceptable at meals. Women should be advised to have just 1 glass of wine no more than four times a week due to the recognized association between breast cancer and increased alcohol consumption.



What about drinking coffee and tea?

The answer to whether or not to drink caffeinated coffee or tea is not so straightforward. In general, studies show that the short-term effects of caffeine include tightening of blood vessels, causing unfavorable changes in blood pressure. Also, caffeine increases cortisol, a stress hormone, so it can make people feel more wired and “on edge.” For some, caffeine can cause a speeding heart rate and abnormal heart rhythms. On the other hand, the phytonutrients in coffee, like chlorogenic acid and caffeic acid, may be helpful in better processing of blood sugar by the liver, thus helping to control the liver’s production of sugar. Moderate consumption of up to 3 cups daily has been shown to be associated with lower rates of T2D. Therefore, every particular situation must be evaluated and discussed with a health practitioner. Patients should be advised not to add cow’s milk and sugar. Rather, they should use dairy alternatives such as almond, flaxseed, coconut, and soy milks.



Green tea may be a better drink for most people. It contains caffeine, but not as much as a typical cup of coffee, and it can be purchased in non-caffeinated varieties. Green tea contains phytonutrients that are anti-inflammatory and antioxidant, helping to assist with blood sugar balance, blood lipids, and the expansion of the blood vessels. Drinking both green and black teas has been associated with reduction in the risk of heart disease and stroke by 10% to 20%. Three cups per day appears to provide the most benefit in blood pressure lowering and reducing CVD risk overall.

Why is coconut oil on this plan? Isn't it bad for the heart?

Extra-virgin olive oil should be the staple oil for salad dressings and cooking, but small amounts of coconut oil can also be used. Research indicates that coconut oil may have some merit as it provides short- and medium-chain fats that can be quickly oxidized for energy. Too much coconut oil that is of low quality, however, is not healthy. On this plan, up to three teaspoons of coconut oil can be included per day.

How can this plan become even more personalized?

A health practitioner may ask their patient to have genetic testing done for individual variations in certain genes (e.g., AGT, APO) so they can further tailor the patient’s program. Nutrition and food planning are becoming increasingly connected to genetics and epigenetics (the influence of the environment on gene expression). Ask a health practitioner for more information.


Resources and Tools for Success

The Cardiometabolic Food Plan is intended to be a phytonutrient-dense, metabolically-balanced approach to enabling the body to more effectively regulate inflammation, insulin, and metabolism. It works best when personalized for the patient by the healthcare practitioner. To make the transition seamless, there are a number of other tools to help in the process.

The following handouts are available from Functional Medicine healthcare practitioners to assist patients in implementing the IFM Cardiometabolic Food Plan:

- Cardiometabolic Food Plan – Food List
- Cardiometabolic Food Plan – Weekly Planner and Recipes







CARDIOMETABOLIC FOOD PLAN

Weekly Planner and Recipes



CARDIOMETABOLIC FOOD PLAN – A WEEK OF MEALS & SNACKS

	DAY 1	DAY 2	DAY 3	DAY 4	DAY 5	DAY 6	DAY 7
Breakfast	<ul style="list-style-type: none"> Fresh Spinach Quiche Cups* Orange 	<ul style="list-style-type: none"> Chocolate Mint Spinach Smoothie* 	<ul style="list-style-type: none"> Chia Pomegranate Oatmeal* 	<ul style="list-style-type: none"> Vegetable Egg Scramble* Blueberries 	<ul style="list-style-type: none"> Strawberry Peach Kale Smoothie* 	<ul style="list-style-type: none"> Egg White Vegetable Frittata* Cantaloupe 	<ul style="list-style-type: none"> Protein Pancakes* Blueberries pureed
Snack	<ul style="list-style-type: none"> Greek Yogurt Blackberries 	<ul style="list-style-type: none"> Fresh Yellow Pear Hummus 	<ul style="list-style-type: none"> Marinated Olives* 	<ul style="list-style-type: none"> Kefir 	<ul style="list-style-type: none"> Purple Plum Mixed Nuts 	<ul style="list-style-type: none"> Celery Almond Butter 	<ul style="list-style-type: none"> Dark Chocolate, 70% or higher Cocoa Pistachio Nuts
Lunch	<ul style="list-style-type: none"> Chicken Pomegranate Quinoa Salad* Sugar-Snap Peas, Carrots, and Yellow Pepper Sticks 	<ul style="list-style-type: none"> LO Ten Vegetable Soup with Tempeh* Savory Seed Crackers* 	<ul style="list-style-type: none"> Thai Barley and Veggie Stir-Fry with Edamame* Mixed Greens Olive Oil Cabernet Vinaigrette* 	<ul style="list-style-type: none"> LO Thai Barley and Veggie Stir-Fry with Edamame* Mixed Greens Olive Oil Cabernet Vinaigrette* 	<ul style="list-style-type: none"> Black Soy Bean Cocoa Soup with Lime Zest* Red and Yellow Pepper, Celery strips with LO Homemade Guacamole* 	<ul style="list-style-type: none"> LO Black Soy Bean Cocoa Soup with Lime Zest* Red and Yellow Pepper, Celery strips with LO Homemade Guacamole* 	<ul style="list-style-type: none"> Greek Lentil Stew* Marinated Vegetables*
Snack	<ul style="list-style-type: none"> Almonds Dark Chocolate; 70% or higher Cocoa 	<ul style="list-style-type: none"> Avocado, (sliced/ chopped) with Cumin, Salt and Pepper, Lemon Juice 	<ul style="list-style-type: none"> Flax Muffin in a Cup* Hot Green Tea 	<ul style="list-style-type: none"> Orange and Yellow Pepper and Celery Strips Guacamole* 	<ul style="list-style-type: none"> Marinated Olives* 	<ul style="list-style-type: none"> Balsamic Roasted Beets* Pumpkin Seeds 	<ul style="list-style-type: none"> Sliced Zucchini Sweet Potato Hummus*
Dinner	<ul style="list-style-type: none"> Ten Vegetable Soup with Tempeh* Savory Seed Crackers* 	<ul style="list-style-type: none"> Sautéed Chicken and Kiwi* Cilantro Lime Cauliflower Rice* Mixed Greens Olive Oil Cabernet Vinaigrette* 	<ul style="list-style-type: none"> Poached Fish with Fire-Roasted Tomato Sauce* Steamed Kale Purple Cabbage Salad* 	<ul style="list-style-type: none"> Grilled Flank Steak* Roasted Root Vegetable Salad* Fruity Spinach Salad* 	<ul style="list-style-type: none"> Salmon Pecan Cakes* Roasted Beets with Greens* Roasted Brussels Sprouts* 	<ul style="list-style-type: none"> Coconut Chicken with Purple Rice* Steamed Broccoli Kale Salad* Raspberry Peach Fruit Fluff* 	<ul style="list-style-type: none"> Asian Turkey Cabbage Boats* Fresh Berries with Coconut Mango Cream*
Therapeutic Food Focus	<ul style="list-style-type: none"> Spinach, yogurt, pomegranate, dark chocolate, dark chocolate, onion, garlic, parsley, olive oil, scallions, almonds, tomatoes, celery, leeks, Swiss chard, flax/chia seed 	<ul style="list-style-type: none"> Spinach, onion, garlic, parsley, tomato, celery, leeks, Swiss chard, flax & chia seed, avocado, olive oil, scallions, tempeh, mixed greens, 	<ul style="list-style-type: none"> Rolled oats, chia/ flax seed, pomegranate, olives, olive oil, kale garlic, barley, onion, edamame, green tea, avocado, tomatoes, wild cod, parsley, almonds 	<ul style="list-style-type: none"> Olive oil, edamame, onion, tomato, kefir, blueberries, garlic, barley, mixed greens celery, avocado, parsley, walnuts, spinach, flax seed oil, scallions, beets 	<ul style="list-style-type: none"> Kale, almond, mixed nuts, olive oil, beets, onion, garlic, celery, black soy bean, scallions, avocado, olives, pecans, spinach, parsley, wild salmon 	<ul style="list-style-type: none"> Olive oil, onion, tomatoes, spinach, celery, almond butter, black soy beans, avocado, beets, kale 	<ul style="list-style-type: none"> Blueberries, pistachios, dark chocolate, onion, olive oil, garlic, tomato, pomegranate juice, black olives, Chinese cabbage, almonds, blackberries

*Recipe included Leftover – LO



CARDIOMETABOLIC FOOD PLAN – SHOPPING GUIDE

Fresh Produce Vegetables

- Carrots, shredded–8-10 oz *pkg*
- Carrots, 2–16 oz *bags*
- Spinach–2 *large 10 oz pkgs*
- Spring Mix–*large 10 oz pkg*
- Kale–2 *bunches*
- Swiss Chard–1 *bunch*
- Red Pepper–4, *Yel 2, Or 1*
- Jalapeno Pepper–1 *sm*
- Yellow Onion–5-6 *med*
- Red Onion–3 *med*
- Green Onion–2 *bunches*
- Garlic–4-5 *bulbs or 32 oz jar minced*
- Leek–1 *med*
- Celery–2 *bunches*
- Brussels Sprouts–4 *c*
- Broccoli–2 *heads*
- Broccoli Slaw–1, 8-10 oz *pkg*
- Chinese Cabbage–1 *head*
- Beets– 2 *bunches–6-8 med*
- Cherry or Grape Tomatoes–1 *pkg*
- 1 Bunch Mint, 2 Bunches Cilantro
- 1 Bunch each Basil and Flat Parsley
- Ginger Root–1-2 *inch*
- Sweet Potato–4 *med*
- Yellow Potato–2 *med*
- Sugar Snap Peas–4 *oz*
- Cauliflower–2 *med heads*
- Cabbage–1 *green, 1 purple*
- Chinese Eggplant–1 *sm*
- Mushrooms–8 *oz*
- Parsnip–1 *med*
- Zucchini & Yellow Squash–1 *ea*

Time Saver Tips:

- Roast beets for day 5 dinner and use 2 the next day for afternoon snack.
- Olive Oil Cabernet Vinaigrette–double the recipe for day 2 dinner and use it for days 3 and 4 lunch salads.
- **Purchase all canned goods, nuts/seeds and condiments in low sodium or no salt added forms if available.**

Meat/Fish/Eggs/Plant Proteins

- Chicken Breast boneless, skinless–2.5 *lbs*
- Ground Turkey Breast–1 *lb*
- Flank Steak–2-3 *lbs*
- Cod or Halibut–1.5 *lbs*
- Tempeh–16 *oz*
- Organic Cage-Free Eggs–1 *doz*
- Organic Egg Whites–16 *oz*

Dairy/Dairy Alternative

- Feta Cheese–8 *oz*
- Cottage Cheese 1%–4 *oz*
- Greek Yogurt–1, 6-8 *oz*
- Light Ricotta Cheese–4 *oz*
- Almond Milk, unsweetened–½ *gal*
- Kefir–6-8 *oz*

Frozen Foods

- Organic Edamame–8 *oz*
- Strawberries–8 *oz*
- Peaches–16 *oz*
- Raspberries–16 *oz*
- Mangos–10 *oz*
- Pomegranate Seeds–8 *oz*
- Apple juice, concentrate–*sm jar*

Fruit, Fresh

- Oranges–3-4
- Apples–3
- Lemons–4-5
- Limes–4-5
- Kiwis–3 *ripe*
- Avocados–4-5
- Strawberries–2 *c*
- Blueberries–3 *c*
- Blackberries–1 *c*
- Yellow Pear–1
- Cantaloupe–1 *c*
- Purple Plum–1

Grains/Legumes

- Quinoa–¾ *c*
- Rolled Oats–⅔ *c*
- Pearled Barley–½ *c*
- Purple Rice–¾ *c*
- Lentils–1 *c*
- Hummus–¼ *c*

Miscellaneous

- Dark Chocolate, 70% cocoa–2 *oz*
- Olives, Misc. Black and Green–2 *c*
- Unflavored Gelatin–1 *pkg*
- Dried Cranberries–⅓ *c*
- Whey or Vegan Protein Powder–1 *Choc and 1 Van*
- Green Tea bags
- Stevia
- Tahini–*sm jar*
- Cocoa Powder, unsweetened–2 *T*
- Pink Grapefruit Sections–1 *c*
- Pomegranate Juice, unsweetened–4 *oz*
- Salsa, chunky–*sm jar*

Canned Goods

- Petite Diced Tomatoes–15 *oz, 2*
- Fire Roasted Tomatoes–15 *oz, 1*
- Organic Vegetable Broth–32 *oz, 2*
- Organic Chicken Broth–32 *oz, 1*
- Organic Chicken Broth–15 *oz, 1*
- Artichoke Hearts–14 *oz, 1*
- Hearts of Palm–14 *oz, 1*
- Chickpeas–15 *oz, 1*
- Black Soy Beans–15 *oz, 1*
- Black Beans–15 *oz, 1*
- Coconut Milk–*Lite, 1 can*
- Dijon Mustard–*sm jar*
- Black Olives, pitted–6 *oz, 1*
- Wild Salmon–7.5 *oz, 1*
- Tomato Paste, no salt added–6 *oz, 1*

Condiments/Oils

- Tamari Sauce, wheat free–16 *oz*
- Red Wine, Cabernet–4-6 *oz*
- Hot Pepper Sauce
- Olive Oil–16-24 *oz*
- Coconut Oil–2 *T*
- Grape Seed Oil–4 *oz*
- Sesame Oil–1 *T*
- Flax Oil–2 *T*
- Balsamic, Red Wine, and Rice Vinegar
- Coconut Aminos–5 *T*
- Soy Sauce, Low Sodium–8 *oz*

Spices

- Garlic and Onion Powder
- Sea Salt
- Black Pepper
- Oregano and Basil
- Red Pepper Flakes
- Peppermint & Vanilla Extracts
- Bay Leaf–1-2
- Coriander Seed–¼ *t*
- Xanthan Gum–¼ *t*
- Corn Starch
- Baking Powder
- Cumin, Curry Powder, Cinnamon, Dry Mustard, Paprika, Thyme

Nuts/Seeds

- Almonds–*raw, 4 oz, slivered, 1 c*
- Almond Butter–*small jar*
- Cashews, chopped–3 *T*
- Sunflower Seeds, toasted–⅓ *c*
- Pecans–1¼ *c*
- Walnuts, chopped–½ *c*
- Ground Flax Seed–½ *c*
- Chia Seed–½ *c*
- Roasted Sesame Seeds–1 *T*
- Poppy Seeds–½ *T*
- Pumpkin Seeds & Pistachios–¼ *c each*
- Mixed Nuts–¼ *c*





Proteins:

- 5 Asian Turkey Cabbage Boats*
- 9 Chicken Pomegranate Quinoa Salad*
- 10 Chocolate Mint Spinach Smoothie*
- 12 Coconut Chicken with Purple Rice*
- 13 Egg White Vegetable Frittata
- 16 Fresh Spinach Quiche Cups*
- 19 Grilled Flank Steak
- 25 Poached Fish with Fire-Roasted Tomato Sauce*
- 26 Protein Pancakes
- 32 Salmon Pecan Cakes*
- 33 Sautéed Chicken and Kiwi*
- 35 Strawberry Peach Kale Smoothie*
- 37 Ten Vegetable Soup with Tempeh*
- 39 Vegetable Egg Scramble*

Non-starchy Vegetables:

- 5 Asian Turkey Cabbage Boats*
- 10 Chocolate Mint Spinach Smoothie*
- 11 Cilantro Lime Cauliflower Rice
- 16 Fresh Spinach Quiche Cups*
- 17 Fruity Spinach Salad*
- 18 Greek Lentil Stew*
- 21 Kale Salad
- 23 Marinated Vegetables
- 25 Poached Fish with Fire-Roasted Tomato Sauce*
- 27 Purple Cabbage Salad
- 29 Roasted Beets with Greens*
- 30 Roasted Brussels Sprouts
- 31 Roasted Root Vegetable Salad*
- 35 Strawberry Peach Kale Smoothie*
- 37 Ten Vegetable Soup with Tempeh*
- 38 Thai Barley and Veggie Stir-Fry with Edamame*
- 39 Vegetable Egg Scramble*

Starchy Veggies:

- 6 Balsamic Roasted Beets
- 29 Roasted Beets with Greens*

- 31 Roasted Root Vegetable Salad*
- 36 Sweet Potato Hummus*
- 37 Ten Vegetable Soup with Tempeh*

Fats & Oils:

- 15 Fresh Berries with Coconut Mango Cream*
- 17 Fruity Spinach Salad*
- 20 Guacamole
- 22 Marinated Olives
- 24 Olive Oil Cabernet Vinaigrette

Nuts & Seeds:

- 14 Flax Muffin in a Cup
- 32 Salmon Pecan Cakes*
- 34 Savory Seed Crackers
- 36 Sweet Potato Hummus*

Legumes:

- 7 Black Soy Bean Cocoa Soup with Lime Zest
- 18 Greek Lentil Stew*
- 36 Sweet Potato Hummus*
- 38 Thai Barley and Veggie Stir-Fry with Edamame*

Fruit:

- 15 Fresh Berries with Coconut Mango Cream*
- 17 Fruity Spinach Salad*
- 28 Raspberry Peach Fruit Fluff
- 33 Sautéed Chicken and Kiwi*
- 35 Strawberry Peach Kale Smoothie*

Grains:

- 8 Chia Pomegranate Oatmeal
- 9 Chicken Pomegranate Quinoa Salad*
- 12 Coconut Chicken with Purple Rice*
- 38 Thai Barley and Veggie Stir-Fry with Edamame*

**Asterisks refer to recipes that are in more than one food category.*

All recipes are included on the following pages in alphabetical order.



Asian Turkey Cabbage Boats

Makes 6 servings (1 serving ≈ ¾–1 cup)

- 3 tablespoons fresh lime juice
- 1 tablespoon cornstarch
- ¼ cup coconut aminos
- 1 teaspoon sesame oil
- 1 tablespoon coconut oil
- 1 pound ground turkey breast
- 1 tablespoon grated fresh ginger root
- 2 cloves fresh garlic, minced
- 1 cup (≈ 1 bunch) thinly sliced green onions
- 1 small jalapeño pepper, finely chopped (optional)
- ½ to 1 cup sliced red bell pepper (1-inch strips)
- 1 package shredded carrots (≈ 2 cups)
- 1 package broccoli slaw (≈ 2 cups)
- 1 tablespoon chopped fresh mint
- 2 tablespoons chopped fresh cilantro
- 6 Chinese cabbage leaves, lightly steamed for 1–2 minutes
- ¼ cup chopped almonds, roasted

Nutrition (per serving):

Calories: 229
Fat (g): 8
Sat. Fat (g): 3
Chol (mg): 40
Sodium (mg): 344
Carb (g): 19
Fiber (g): 5
Protein (g): 22

Core Food Plan (per serving):

Proteins: 2
Nuts & seeds: 0.5
ns Veg: 3.5

Directions

1. In a small bowl, mix together fresh lime juice, cornstarch, coconut aminos, and sesame oil, and set aside.
2. In a large skillet or wok, heat coconut oil over medium-high heat. Add ground turkey breast, ginger, and garlic, and cook. Stir often until turkey is browned and cooked through, about 6–8 minutes.
3. Add green onions, jalapeño, bell peppers, shredded carrots, and broccoli slaw, and stir-fry until vegetables are crisp, but tender.
4. Add the lime juice–cornstarch mixture to the meat and vegetables. Mix thoroughly, and turn down heat to low setting. Fold in chopped mint and cilantro.
5. Arrange steamed Chinese cabbage leaves on a serving platter. Spoon about ¾–1 cup of mixture onto each leaf. Top with chopped almonds

Tips: As an alternative to the steamed Chinese cabbage, use butter or green leaf lettuce for lettuce wraps when serving this vegetable rich dish. There is no need to steam if using lettuce leaves so saves a step in the preparation.



Balsamic Roasted Beets

Makes 2 servings

- 1 bunch trimmed beets (about 4 beets)
- 1 tablespoon balsamic vinegar
- 2 pinches sea salt
- 2 pinches black pepper

Directions

1. Preheat oven to 400° F.
2. Gently scrub beets, and pat dry. Wrap in foil, and roast until tender (about 1 hour). Let cool, then peel and dice.
3. Place beets in a medium bowl, toss with balsamic vinegar, sea salt and pepper, and serve.

Nutrition (per serving):

Calories: 77
Fat (g): 0
Sat. Fat (g): 0
Chol (mg): 0
Sodium (mg): 264
Carb (g): 18
Fiber (g): 3
Protein (g): 3

Core Food Plan (per serving):

s Veg: 1



Black Soy Bean Cocoa Soup with Lime Zest

Makes 4 servings

- 1 tablespoon extra virgin olive oil
- 1 small red onion, chopped
- 3 cloves garlic, pressed
- 1 large carrot, chopped
- 1 stalk celery, chopped
- 3 cups low-sodium organic vegetable broth (or chicken broth)
- 2 tablespoons unsweetened cocoa powder
- 1 teaspoon cumin
- 1 cup canned black beans, drained and rinsed
- 1 cup canned black soy beans, drained and rinsed
- Grated zest of 1 lime
- 2–4 tablespoons fresh cilantro, chopped

Directions

1. In a medium saucepan, heat olive oil over low heat. Add the onion and sauté until the onions are caramelized, for approximately 15 minutes.
2. Add the pressed garlic, carrots, and celery, and cook for 5 minutes longer.
3. Add the broth, cocoa powder, and cumin. Stir well, and simmer for 10 more minutes.
4. Stir in the black beans and black soy beans. Add lime zest. Cook for approximately 20 minutes longer, over low heat.
5. Serve warm, garnished with chopped cilantro.

Tips: This recipe is wonderful topped with sliced avocado or fresh guacamole but this added ingredient is not part of this nutritional analysis.

Nutrition (per serving):

Calories: 181
Fat (g): 8
Sat. Fat (g): 1
Chol (mg): 4
Sodium (mg): 216
Carb (g): 20
Fiber (g): 9
Protein (g): 10

Core Food Plan (per serving):

Legumes: 1
Fats & Oils: 1.5
ns Veg: 1



Chia Pomegranate Oatmeal

Makes 2 servings

- 1½ cups water
- ¾ cup rolled oats (old fashioned)
- 1 pinch sea salt
- ½ cup liquid egg whites
- ½ teaspoon cinnamon
- 2 teaspoons chia seeds
- ½ cup pomegranate seeds

Directions

1. Put water in a small sauce pan, and bring to boil. Add in rolled oats and pinch of salt. Return to boil, and reduce heat to simmer for 5 minutes. Rolled oats should thicken as they cook.
2. When oats reach desired consistency, add liquid egg whites.
3. When ready to serve, stir in cinnamon, chia seeds and pomegranate seeds.

Nutrition (per serving):

Calories: 230
Fat (g): 6
Sat. Fat (g): 1
Chol (mg): 1
Sodium (mg): 180
Carb (g): 32
Fiber (g): 6
Protein (g): 14

Core Food Plan (per serving):

Proteins: 1
Nuts & Seeds: 0.5
Fruits: 0.5
Grains: 1.5



Chicken Pomegranate Quinoa Salad

Makes 6 servings (1 serving ≈ 1–1½ cups)

- ¾ cup quinoa
- 1¾ cup water
- ¾ teaspoon sea salt, divided
- ½ Fuji apple, cored and finely chopped
- ½ cup pomegranate seeds (arils)
- ½ cup fresh cilantro, finely chopped
- ¼ cup fresh mint, finely chopped
- ¼ cup fresh flat-leaf parsley, finely chopped
- ½ cup fresh scallions, green and white parts, finely chopped
- ¼ cup toasted slivered almonds
- 8 ounces boneless skinless chicken breast, cooked, chopped or shredded
- 2 cups baby spinach
- ¼ cup blood orange juice (or regular orange juice plus 1 teaspoon lemon juice)
- ¼ teaspoon black pepper
- 2 teaspoons extra virgin olive oil

Nutrition (per serving):

Calories: 205
Fat (g): 9
Sat. Fat (g): 1
Chol (mg): 74
Sodium (mg): 228
Carb (g): trace
Fiber (g): trace
Protein (g): 28

Core Food Plan (per serving):

Proteins: 1.5
ns Veg: 1
Fruits: 1
Grains: 0.5

Directions

1. Rinse quinoa in strainer, drain well, and place moist grain in heavy, medium saucepan. Cook over medium-high heat, stirring constantly with wooden spatula until grains stick to bottom of pot and then start to move freely and smell toasty, about 5 minutes.
2. When grains of quinoa start to pop, move pot off heat and pour in 1¾ cups water, being cautious, as it will splatter. Immediately return pot to heat, and reduce heat to medium. Add ¼ teaspoon salt, cover and simmer for 15 minutes, or until quinoa is almost tender. Remove from heat and let sit covered, for about 10 minutes. Using fork, fluff quinoa, and transfer it to a medium to large mixing bowl.
3. After quinoa is at room temperature, add apple, pomegranate seeds, cilantro, mint, parsley, scallions, almonds, chicken, and fresh spinach. Mix.
4. In small bowl, whisk together orange juice (or the two citrus juices) with remaining ½ teaspoon salt until it dissolves. Add pepper, then whisk in oil. Pour dressing over salad and toss with fork to distribute it evenly. Serve within 2 hours.

Tips: The quinoa and dressing parts of this salad can be made up to 8 hours ahead, then covered and refrigerated separately and combined shortly before serving.



Chocolate Mint Spinach Smoothie

Makes 2 servings

- 2 cups unsweetened almond or coconut milk
- 2 scoops chocolate protein powder (whey or vegan varieties, like pea, rice, organic soy or hemp)
- 1 to 1½ cups ice
- 1 teaspoon peppermint extract (or more, to taste)
- 2 handfuls (about 2–4 cups) baby spinach

Directions

1. Put almond milk in a Vitamix or powerful blender.
2. Add protein powder, ice, and peppermint extract.
3. Add the baby spinach on top and start blender on low speed, and gradually work up to high speed for approximately 1 minute until smooth and well-blended.
4. Add more or less ice to desired consistency.

Nutrition (per serving):

Calories: 146
Fat (g): 5
Sat. Fat (g): 1
Chol (mg): 30
Sodium (mg): 278
Carb (g): 9
Fiber (g): 4
Protein (g): 19

Core Food Plan (per serving):

Protein: 2
ns Veg: 1.5



Cilantro Lime Cauliflower Rice

Makes 6 servings (1 serving ≈ ½ cup)

- 1 head cauliflower (≈ 24 ounces or 6 cups chopped)
- 1 tablespoon extra-virgin olive oil
- 2 cloves garlic
- 2 scallions, diced
- ¼ teaspoon sea salt
- ¼ teaspoon pepper
- 3 tablespoons fresh lime juice (juice of 1½ limes)
- ¼ cup fresh chopped cilantro

Directions

1. Rinse cauliflower, and pat dry. Chop into florets, and grate in food processor. If you don't have a food processor, leave cauliflower whole, and grate with box grater. The cauliflower should resemble the size of rice or couscous.
2. Heat a large pan on medium heat, and add olive oil, garlic, and scallions. Sauté 3–4 minutes.
3. Increase heat to medium-high, and add cauliflower. Sauté for 5–6 minutes; remove from heat and transfer to a large bowl (before cauliflower gets mushy).
4. Toss with sea salt, pepper, lime juice, and cilantro.

Nutrition (per serving):

Calories: 49
Fat (g): 2
Sat. Fat (g): 0
Chol (mg): 0
Sodium (mg): 109
Carb (g): 6
Fiber (g): 3
Protein (g): 2

Core Food Plan (per serving):

Fats & Oils: 0,5
ns Veg: 1



Coconut Chicken with Purple Rice

Makes 6 servings (1 serving ≈ ⅓ cup rice and ¾ cup chicken mixture)

- 1½ cups water
- ¾ cup purple rice
- ½ teaspoon sea salt
- 2 tablespoons coconut oil
- ½ cup chopped onion
- 2 cloves garlic, minced
- 1 can (14 ounces) diced tomatoes, no salt added
- 1 pound boneless, skinless chicken breast, cut into strips
- 1 tablespoon curry powder
- ⅓ cup canned coconut milk combined with ⅓ cup water
- ⅓ teaspoon ground cinnamon
- 4–5 fresh basil leaves, chopped, for garnish

Nutrition (per serving):

Calories: 278
Fat (g): 9
Sat. Fat (g): 7
Chol (mg): 44
Sodium (mg): 217
Carb (g): 28
Fiber (g): 2
Protein (g): 21

Core Food Plan (per serving):

Proteins: 2
Fats & Oils: 0.5
ns Veg: 3
Grains: 1

Directions

1. In a medium saucepan, bring to a boil 1½ cups water. Add rice and sea salt. Reduce heat to low, cover and allow to simmer for about 45 minutes, until rice is cooked.
2. While rice is cooking, heat coconut oil over medium heat in a large skillet. Add onions and cook, stirring, until softened.
3. Add garlic and cook for 1 more minute.
4. Add canned tomatoes (with their juices), chicken, and curry powder. Cook over low heat, stirring, for about 15–20 minutes, until chicken is thoroughly cooked and mixture is thick.
5. Stir in coconut milk (mixed with water) and cook for 5 more minutes.
6. Serve immediately with rice, topped with a sprinkle of cinnamon and garnished with basil.

Tips: Alternatively, instead of ⅓ cup regular coconut milk mixed with ⅓ cup water, you could use ⅔ cup light (canned) coconut milk.



Egg White Vegetable Frittata

Makes 6 servings (1 serving = 1 wedge, when round glass pie plate or skillet is cut into 6 pie shaped wedges)

- 8 egg whites (approximately 1 cup of egg whites), beaten with a little bit of water
- ½ teaspoon sea salt
- ¼ teaspoon freshly ground black pepper
- 3 tablespoons olive oil
- ½ cup yellow onion, medium dice
- 1 cup cherry tomatoes, cut in half
- 6 ounces baby spinach, prewashed

Directions

1. Preheat oven to 375° F. In a medium bowl, beat together the egg whites with a little water, sea salt, and pepper, and set aside.
2. In a nonstick skillet, heat oil over medium heat. Add onions, and sauté for 10 minutes or until translucent.
3. Add tomatoes, and cook until they begin to get soft and release their juices. Add spinach, and cook to wilt leaves. Remove from heat.
4. Pour beaten egg whites into skillet, and stir to combine sautéed vegetables. Place skillet in the oven (or transfer to a greased glass pie pan if skillet is not oven safe), for about 20 minutes or until the eggs have set.
5. Gently place spatula under all sides of the skillet to loosen the edges. Transfer to a plate and serve immediately.

Nutrition (per serving):

Calories: 99
Fat (g): 7
Sat. Fat (g): 1
Chol (mg): 0
Sodium (mg): 276
Carb (g): 4
Fiber (g): 1
Protein (g): 6

Core Food Plan (per serving):

Proteins: 0.5
Fats & Oils: 1
ns Veg: 1



Flax Muffin in a Cup

Makes 1 serving

- ½ teaspoon coconut oil or ghee
- 1 egg
- 2 tablespoons ground flax seed (flax meal)
- ½ teaspoon baking powder
- 1 packet stevia
- ¼ teaspoon cinnamon
- 1 pinch sea salt
- ¼ cup blueberries
- 1 tablespoon chopped pecans
- 2 teaspoon butter, ghee, or coconut oil

Directions

1. Grease an oven safe 10–12 ounce ramekin with ½ teaspoon coconut oil or ghee.
2. In a separate small bowl or mug, whisk the egg with a fork. Add ground flax, baking powder, stevia, cinnamon, and sea salt. Mix until all ingredients are moistened. Add berries and pecans, and stir to mix.
3. Pour mixture into a greased ramekin. Bake in a preheated 350° F oven for 7–10 minutes. (Muffin should puff up and be firm to the touch when done, or when a tooth pick inserted comes out clean.)
4. Let cool slightly. Use a knife to loosen the muffin from the sides, and invert ramekin onto a small plate.
5. Cut in half to cool before eating. Add a small smear of grass-fed butter, ghee, or coconut oil for a bit more flavor.

Tip: This also makes a great pancake batter. It can be poured into an oiled skillet to make 1–2 small pancakes. (Optional to use 1 teaspoon local honey instead of stevia, if desired, but note that honey was not used in the nutritional analysis.)

Nutrition (per serving):

Calories: 294
Fat (g): 25
Sat. Fat (g): 9
Chol (mg): 233
Sodium (mg): 512
Carb (g): 12
Fiber (g): 6
Protein (g): 10

Core Food Plan (per serving):

Proteins: 1
Nuts & Seeds: 2
Fats & Oils: 2.5
Fruit: 0.5



Fresh Berries with Coconut Mango Cream

Makes 4 servings

- ⅓ cup coconut milk (canned)
- 1½ cup diced frozen mango (do not defrost)
- 1 teaspoon vanilla
- 2 cups fresh blueberries or blackberries

Garnish:

- 4 mint leaves (optional)

Directions

1. To a blender, add coconut milk and frozen mango. Blend on high until smooth.
2. Add vanilla and blend again for several seconds.
3. Evenly divide berries among four dishes. Top with coconut cream.
4. Garnish with a mint leaf, if desired.

Tips: For a variation, add ⅓ cup frozen raspberries to coconut milk and mango (step 1). The pink color is beautiful on top of the berries.

Nutrition (per serving):

Calories: 187
Fat (g): 10
Sat. Fat (g): 8
Chol (mg): 0
Sodium (mg): 11
Carb (g): 26
Fiber (g): 4
Protein (g): 1

Core Food Plan (per serving):

Fats & Oils: 2
Fruits: 1.5



Fresh Spinach Quiche Cups

Makes 6 servings (1 serving = 2 muffin quiches)

- 3 large eggs (omega-3 variety)
- ½ cup cottage cheese (1% fat)
- ¼ cup reduced-fat feta cheese
- 2 cups fresh chopped spinach
- ¼ cup chopped red bell pepper
- ¼ cup chopped onion
- 3–4 drops hot pepper sauce
- ½ teaspoon garlic powder (or 1 clove garlic, minced)
- 1 pinch sea salt
- 1 pinch black pepper

Directions

1. Line a muffin pan with foil baking cups. Spray the cups with cooking spray.
2. Whisk eggs, and mix with cottage cheese, feta, spinach, bell peppers, chopped onion, hot pepper sauce, garlic, sea salt, and pepper. Mix well.
3. Pour evenly into 12 muffin cups. Bake at 350° F for 20 minutes or until a knife inserted in the center comes out clean.

Tips: May be frozen and reheated in the microwave, if desired (remove foil muffin cup if microwaving). Also note, any combination of vegetables may be used.

Nutrition (per serving):

Calories: 68
Fat (g): 3
Sat. Fat (g): 2
Chol (mg): 110
Sodium (mg): 262
Carb (g): 2
Fiber (g): 1
Protein (g): 8

Core Food Plan (per serving):

Proteins: 1
ns Veg: 0.5



Fruity Spinach Salad

Makes 4 servings

- 1 pint fresh organic strawberries (or 2 cups sliced)
- 8 oz. fresh spinach, washed, dried, torn to pieces

Dressing:

- 1 tablespoon sesame seeds
- ½ tablespoon poppy seeds
- 1 scallion, chopped
- 1 tablespoon flax seed oil
- 1 tablespoon olive oil
- 2 tablespoons balsamic vinegar

Garnish:

- ¼ cup chopped walnuts

Directions

1. Cut berries in half and arrange over spinach in serving bowl.
2. Combine dressing ingredients in blender or food processor and process until smooth. Just before serving, pour over salad and toss.
3. Garnish with nuts.

Tips: For a variation, try raspberries in place of strawberries, and sliced almonds or pecans in place of walnuts.

Nutrition (per serving):

Calories: 165
Fat (g): 13
Sat. Fat (g): 1
Chol (mg): 0
Sodium (mg): 47
Carb (g): 10
Fiber (g): 4
Protein (g): 5

Core Food Plan (per serving):

Nuts & Seeds: 1
Fats & Oils: 1.5
ns Veg: 0.5
Fruits: 0.5



Greek Lentil Stew

Makes 4 servings

- 1 tablespoon extra virgin olive oil
- 1 small red onion, chopped
- 1 medium yellow sweet pepper, chopped
- 2 cloves garlic, finely chopped
- 1 cup lentils
- 2 teaspoons dried oregano
- 1 teaspoon ground cinnamon
- 2½ cups low-sodium vegetable broth, divided
- 1 medium zucchini squash, chopped
- 1 medium yellow squash, chopped
- 1 tablespoon tomato paste
- ½ cup unsweetened pomegranate juice
- ½ teaspoon sea salt
- ¼ teaspoon black pepper
- ¼ cup reduced-fat crumbled feta cheese

Nutrition (per serving):

Calories: 281
Fat (g): 6
Sat. Fat (g): 2
Chol (mg): 7
Sodium (mg): 581
Carb (g): 42
Fiber (g): 18
Protein (g): 18

Core Food Plan (per serving):

Legumes: 2
Fats & Oils: 1
ns Veg: 2

Directions

1. In small Dutch oven, heat oil over medium-high heat. Add onion and bell pepper, and sauté for 1 minute. Cover pot tightly and cook over medium heat for 4 minutes. Add garlic and cook for 1 minute longer.
2. Stir in lentils, oregano, and cinnamon, and cook until seasoning is fragrant, 30 seconds.
3. Add 2 cups of broth. Bring to a boil, reduce heat and cover. Simmer lentils for 25 minutes.
4. Add zucchini and yellow squash, tomato paste, pomegranate juice, remaining broth, sea salt and pepper. Simmer for 15 minutes, or until lentils are done to your taste.
5. Let stew sit, uncovered, for 15 minutes. Serve warm or at room temperature, divided among soup bowls, with 1 tablespoon of feta sprinkled over each serving.

Tips: To reduce sodium content in this recipe, consider eliminating or reducing the amount of the crumbled feta cheese topping.



Grilled Flank Steak

Makes 8 servings (1 serving ≈ 4 ounces cooked)

- ¾ cup low-sodium tamari (wheat-free)
- ¼ cup balsamic vinegar
- ¼ cup pineapple juice
- ¼ cup olive oil
- 2 tablespoons dry mustard
- 4 cloves garlic, minced (or 4 teaspoons minced)
- Freshly cracked pepper, to taste
- 2½ pounds flank steak

Directions

1. In a medium mixing bowl, whisk together tamari, balsamic vinegar, pineapple juice, olive oil, dry mustard, garlic, and pepper to create marinade.
2. Place flank steak in a large glass dish. Pour marinade over steak, and cover. Place in refrigerator and marinate meat for 8 to 24 hours, stirring occasionally.
3. Grill or broil until done with internal temperature of 140° F for rare or 160° F for medium. (Well-done or 180° F is not recommended, as it will make this cut of meat very tough.)
4. Slice across the grain into thin slices, and serve warm or cold.

Tips: Flank steak is very lean, which means it can be a bit tough. The longer it marinates, the more tender it will be and more enhanced the flavor will be. Also, be sure not to overcook.

Nutrition (per serving):

Calories: 274
Fat (g): 17
Sat. Fat (g): 7
Chol (mg): 0
Sodium (mg): 399
Carb (g): 1
Fiber (g): 0
Protein (g): 28

Core Food Plan (per serving):

Proteins: 4
Fats & Oils: 1



Guacamole

Makes 4 servings

- 2 cloves garlic, minced (\approx 2 teaspoons)
- 3 scallions or red onion, minced (\approx $\frac{1}{4}$ cup)
- $\frac{1}{4}$ jalapeño, minced
- 2 avocados, peeled
- 1 tablespoon fresh lime juice (juice of $\frac{1}{2}$ a lime)
- 2 tablespoons chopped fresh cilantro
- 1 pinch of sea salt

Directions

1. In a medium bowl, combine the garlic, scallions, and jalapeños.
2. Add avocado and mash using the back of a fork.
3. Gently stir in lime juice.
4. Finish with cilantro and sea salt.

Nutrition (per serving):

Calories: 169
Fat (g): 15
Sat. Fat (g): 2
Chol (mg): 0
Sodium (mg): 46
Carb (g): 9
Fiber (g): 3
Protein (g): 2

Core Food Plan (per serving):

Fats & Oils: 3
ns Veg: 1



Kale Salad

Makes 6 servings (1 serving ≈ 1 cup)

- 1 bunch kale
- ½ teaspoon sea salt
- ¼ cup diced red onion
- ½ cup currants, raisins, or dried cranberries or cherries
- ½ cup diced apple (about ½ an apple)
- ½ cup sunflower seeds, toasted
- ¼ cup olive oil
- 2 teaspoons red wine vinegar or unfiltered apple cider vinegar

Directions

1. De-stem kale by pulling leaves away from stems. Wash leaves, spin or pat dry. Stack leaves, roll up and cut into thin ribbons. Put kale in a large mixing bowl.
2. Add salt and massage it into the kale with your hands for 2 minutes (skipping this step will leave you with tough, stringy kale).
3. Stir onions with dried fruit, apple, and sunflower seeds into the kale. Dress with oil and vinegar.
4. Taste for sea salt and vinegar, adding more if necessary. Also taste a few bites to see if balance of sweet/sour/crunchy/chewy are all well mixed. Add extra of what you miss.

Tips: Add some baked, grilled, or rotisserie chicken to a double portion of salad for a nice meal.

Nutrition (per serving):

Calories: 162
Fat (g): 13
Sat. Fat (g): 2
Chol (mg): 0
Sodium (mg): 166
Carb (g): 11
Fiber (g): 2
Protein (g): 2

Core Food Plan (per serving):

Nuts & Seeds: 1
Fats & Oils: 1.5
ns Veg: 1
Fruits: 0.5



Marinated Olives

Makes 6 servings (1 serving \approx 1/3 cup olives)

- 2 cups olives (mixed varieties, large, small, multi-colored)
- 2 tablespoons olive oil
- 6 thin slices of lemon peel
- 6 thin slices of orange peel
- 2 cloves garlic, slivered
- 1 teaspoon fresh lemon juice
- 1/4 teaspoon orange zest
- 1/4 teaspoon lemon zest
- 1/4 teaspoon whole coriander seeds
- 1 bay leaf

Nutrition (per serving):

Calories: 52
Fat (g): 5
Sat. Fat (g): 1
Chol (mg): 0
Sodium (mg): 393
Carb (g): 3
Fiber (g): 1
Protein (g): 0

Core Food Plan (per serving):

Fats & Oils: 1

Directions

1. Combine all ingredients together in an air-tight container (such as a glass storage dish or large jar), and place in the refrigerator.
2. Allow to marinate for at least 2 days, and stir occasionally.



Marinated Vegetables

Makes 12 servings (1 serving ≈ ½ cup)

- ½ cup olive oil
- ¼ cup balsamic vinegar
- 1 teaspoon dried oregano
- 1 teaspoon dried basil
- 3 cloves garlic, cut into slivers
- ½ teaspoon sea salt
- 1 can (14 ounces) artichoke hearts, canned in water, cut into halves or quarters
- 1 can (14 ounces) hearts of palm, cut into ¼-inch slices
- 1 can (6 ounces) pitted black olives
- ½ pound mushrooms, cleaned and quartered

Nutrition (per serving):

Calories: 95
Fat (g): 4
Sat. Fat (g): 1
Chol (mg): 0
Sodium (mg): 250
Carb (g): 15
Fiber (g): 3
Protein (g): 3

Core Food Plan (per serving):

Fats & Oils: 0.5
ns Veg: 2.5

Directions

1. In a large bowl, whisk together olive oil, balsamic vinegar, oregano, basil, garlic, and sea salt.
2. Add artichokes, hearts of palm, olives, and mushrooms, and toss well.
3. Cover and place in refrigerator to marinate for 6 to 8 hours, tossing periodically.

Tips: Leftover marinade can be used as a salad dressing.



Olive Oil Cabernet Vinaigrette

Makes 4 servings (1 serving ≈ 1½ tablespoons)

- 1 tablespoon red wine (Cabernet Sauvignon or Merlot)
- 2 tablespoons red wine vinegar
- 1 tablespoon orange juice
- 1 teaspoon fresh garlic, minced
- ½ teaspoon dried basil
- 1 pinch sea salt
- 1 pinch black pepper
- 2 tablespoons extra virgin olive oil

Directions

1. In a small bowl, whisk together all ingredients except olive oil.
2. Slowly drizzle in olive oil, while whisking, to emulsify the dressing.
3. Serve over mixed greens.

Tips: This recipe can be made ahead and stored in the refrigerator for up to 2 weeks. If chilled, olive oil may thicken, so allow to come to room temperature before serving.

Nutrition (per serving):

Calories: 67
Fat (g): 7
Sat. Fat (g): 1
Chol (mg): 0
Sodium (mg): 36
Carb (g): 1
Fiber (g): 0
Protein (g): 0

Core Food Plan (per serving):

Fats & Oils: 1.5



Poached Fish with Fire-Roasted Tomato Sauce

Makes 4 servings

- 2 tablespoons extra virgin olive oil
- 1 medium yellow onion, chopped
- 1 garlic clove, minced
- ½ inch piece fresh ginger, peeled and grated
- 1 can (15 ounces) fire-roasted chopped tomatoes, no salt added
- ½ teaspoon sea salt
- ¼ teaspoon black pepper
- ½ teaspoon curry powder (optional)
- 1½ pounds fresh firm white fish (cod, halibut, haddock), cut into 3-inch pieces
- ½ cup chopped fresh parsley, for garnish

Nutrition (per serving):

Calories: 239
Fat (g): 8
Sat. Fat (g): 1
Chol (mg): 73
Sodium (mg): 368
Carb (g): 8
Fiber (g): 2
Protein (g): 32

Core Food Plan (per serving):

Proteins: 3.5
ns Veg: 1.5

Directions

1. Heat the olive oil in a large saucepan over medium-low heat.
2. Sauté the onion until translucent, 5–7 minutes. Add the garlic, ginger, tomatoes (with juices), sea salt, pepper, and curry powder. Simmer for 20 minutes, stirring occasionally.
3. Nestle the fish in the sauce, cover, and cook until opaque (about 8–10 minutes). Be careful not to overcook. The fish will add its own liquid to the dish.
4. Serve sprinkled with fresh parsley.

Tips: This is great served over a bed of lightly sautéed kale. Leftover fish in tomato sauce can be refrigerated for up to 2 days.



Protein Pancakes

Makes 6 servings (1 serving = 2 small pancakes)

- 2 eggs
- ½ cup light ricotta cheese, softened
- ¼ cup vanilla protein powder, whey or vegan
- ½ teaspoon baking powder
- ⅛ teaspoon sea salt
- ½ teaspoon vanilla extract and/or maple extract

Directions

1. Whisk the eggs and ricotta together until smooth. Add the rest of the ingredients and mix until smooth.
2. Heat a griddle or skillet, and coat surface with butter or coconut oil. Drop tablespoon size amounts of batter onto the griddle to make small pancakes.
3. Flip pancakes when bubbles on the surface of the pancake have broken and stay broken. Cook pancakes on the other side.

Tips: This recipe can be doubled, as these pancakes keep well in the refrigerator.

Nutrition (per serving):

Calories: 66
Fat (g): 3
Sat. Fat (g): 2
Chol (mg): 74
Sodium (mg): 137
Carb (g): 2
Fiber (g): 0
Protein (g): 7

Core Food Plan (per serving):

Proteins: 1



Purple Cabbage Salad

Makes 6 servings (1 serving ≈ 1 cup)

- 1 small head of purple cabbage
- 3 carrots, shredded
- 1 tablespoon balsamic vinegar
- 1½ tablespoons unseasoned rice vinegar
- 1 tablespoon water
- ¼ teaspoon sea salt
- ¼ teaspoon pepper
- 1 tablespoon olive oil
- ¼ cup slivered almonds
- 1 whole ripe avocado, cut into chunks
- 1 cup pink grapefruit sections, cut in half

Directions

1. Core the cabbage, and process through the slicing disc of a food processor (or slice thinly to make strips). Shred carrots by hand or food processor. In a large bowl, toss together cabbage and carrots.
2. In a small bowl, whisk together both vinegars, water, sea salt and pepper. Slowly drizzle the oil in while whisking to emulsify. Pour over cabbage and carrots, and toss. Allow dressing to marinate salad for 30–60 minutes before serving.
3. Just before serving, toss the cabbage mixture with the almonds, grapefruit sections and fresh avocado.

Nutrition (per serving):

Calories: 176
Fat (g): 11
Sat. Fat (g): 1
Chol (mg): 0
Sodium (mg): 121
Carb (g): 19
Fiber (g): 6
Protein (g): 4

Core Food Plan (per serving):

Nuts & Seeds: 1
Fats & Oils: 1.5
ns Veg: 1.5
Fruits: 0.5



Raspberry Peach Fruit Fluff

Makes 6 servings (1 serving \approx $\frac{1}{2}$ – $\frac{3}{4}$ cup)

- 1 envelope unflavored gelatin
- 1 tablespoon apple juice concentrate
- 3 tablespoons water
- 2 cups fresh or frozen raspberries
- 2 cups sliced fresh or frozen peaches
- 1 teaspoon fresh lemon juice

Directions

1. In medium mixing bowl, mix together gelatin, apple juice concentrate, and water until gelatin dissolves. Set aside.
2. Put fruit in blender and blend until liquefied. Place puréed fruit in small saucepan, and bring to boil. Immediately remove from heat, and mix in gelatin and apple juice mixture. Stir until thoroughly dissolved.
3. Stir in lemon juice and chill in refrigerator until it begins to thicken. Beat with a mixer on high speed until fluffy and doubled in volume. Chill again.
4. Serve in dessert dishes garnished with reserved fruit

Nutrition (per serving):

Calories: 54
Fat (g): 0
Sat. Fat (g): 0
Chol (mg): 0
Sodium (mg): 3
Carb (g): 12
Fiber (g): 4
Protein (g): 2

Core Food Plan (per serving):

Fruits: 1



Roasted Beets with Greens

Makes 4 servings

- 1–2 bunches trimmed beets (about 4–5 beets)
- 1½ tablespoons extra-virgin olive oil
- 1 lemon, juiced (approximately 3 tablespoons juice)
- 2 teaspoons coconut aminos
- 1 clove garlic, minced
- ¼ teaspoon sea salt
- ¼ teaspoon black pepper
- 4 cups baby spinach or spring mix, divided
- 1 cup fresh parsley
- 4 slices red onion

Directions

1. Preheat oven to 400° F.
2. Rinse beets, dry, and wrap individually in foil.
3. Roast until tender (about 1 hour). Let cool, then peel and dice.
4. Whisk together olive oil, lemon juice, coconut aminos, garlic, sea salt and pepper. Toss with beets.
5. For each serving, toss ≈ ½ cup dressed beets with 1 cup spinach or spring mix and ¼ cup parsley. Top with onion.

Nutrition (per serving):

Calories: 113
Fat (g): 5
Sat. Fat (g): 1
Chol (mg): 0
Sodium (mg): 286
Carb (g): 15
Fiber (g): 5
Protein (g): 3

Core Food Plan (per serving):

Fats & Oils: 1
ns Veg: 1
s Veg: 0.5



Roasted Brussels Sprouts

Makes 4 servings

- 4 cups Brussels sprouts, cleaned and halved or quartered
- 2 cloves garlic, minced (about 2 teaspoons minced)
- 1 small apple, peeled, cored and cut into eighths
- 1 tablespoon extra-virgin olive oil
- ¼ teaspoon sea salt
- ¼ teaspoon black pepper

Directions

1. Preheat oven to 375° F.
2. In a large bowl, toss together all ingredients.
3. Pour out into a cookie sheet lined with parchment paper, and spread mixture evenly in a single layer.
4. Roast uncovered for 20 minutes.

Nutrition (per serving):

Calories: 90
Fat (g): 4
Sat. Fat (g): 1
Chol (mg): 0
Sodium (mg): 140
Carb (g): 14
Fiber (g): 4
Protein (g): 3

Core Food Plan (per serving):

Fats & Oils: 1
ns Veg: 1
Fruits: 0.5



Roasted Root Vegetable Salad

Makes 4 servings

- 1 medium sweet potato (about 4 oz), cut into $\frac{3}{4}$ -inch cubes
- 1 medium yellow potato, cut into $\frac{3}{4}$ -inch cubes (may substitute parsnip)
- 1 medium carrot, peeled, cut into $\frac{3}{4}$ -inch slices
- 1 small red onion, cut into $\frac{1}{2}$ -inch wedges
- 2 medium celery stalks, cut into $\frac{3}{4}$ -inch slices
- 1 medium beet, cut into $\frac{3}{4}$ -inch cubes
- $1\frac{1}{2}$ tablespoons extra virgin olive oil, divided
- $\frac{1}{4}$ teaspoon sea salt
- $\frac{1}{4}$ teaspoon freshly ground black pepper
- 1 teaspoon balsamic vinegar
- 2 teaspoons fresh lemon juice
- $\frac{1}{2}$ teaspoon Dijon mustard
- 1 tablespoon fresh parsley, chopped
- 1 teaspoon fresh cilantro, chopped
- 2 tablespoons walnuts, finely chopped
- 1 ounce reduced-fat crumbled feta cheese

Nutrition (per serving):

Calories: 175
Fat (g): 8
Sat. Fat (g): 2
Chol (mg): 3
Sodium (mg): 277
Carb (g): 22
Fiber (g): 4
Protein (g): 5

Core Food Plan (per serving):

Fats & Oils: 1.5
ns Veg: 1.5
s Veg: 1

Directions

1. Preheat oven to 425° F.
2. In large bowl, toss together potatoes (sweet and yellow), carrot, red onion, celery, beet, and $\frac{1}{2}$ tablespoon of the oil, coating well. Season with sea salt and pepper.
3. Arrange vegetables on a cookie sheet, and spread mixture evenly in a single layer. Roast, stirring several times, until tender and beginning to brown, about 50 minutes.
4. In small bowl, whisk together vinegar, lemon juice, and Dijon mustard with remaining 1 tablespoon oil, and stir in parsley and cilantro. Drizzle dressing over vegetables, add walnuts, and gently toss.
5. Top with crumbled feta. Serve warm or at room temperature.



Salmon Pecan Cakes

Makes 8 servings (1 serving = 1 salmon patty)

- 1¾ cups pecans
- 1 can (7.5 ounces) wild salmon, drained
- 2 eggs
- 3 small scallions, chopped
- 1 small celery stalk, chopped
- 1 tablespoon extra-virgin olive oil
- 1 tablespoon lime juice
- ½ teaspoon sea salt
- 1 pinch paprika

Directions

1. Preheat oven to 350° F.
2. In a food processor, grind pecans to a fine texture.
3. Add remaining ingredients to food processor, and pulse to combine.
4. Remove mixture from food processor, and separate into eight medium patties. Place on a lightly oiled baking tray, and bake until golden, about 25–30 minutes.

Nutrition (per serving):

Calories: 235
Fat (g): 21
Sat. Fat (g): 2
Chol (mg): 58
Sodium (mg): 248
Carb (g): 5
Fiber (g): 2
Protein (g): 9

Core Food Plan (per serving):

Proteins: 1
Nuts & Seeds: 2
Fats & Oils: 2



Sautéed Chicken and Kiwi

Makes 4 servings

- 1½ tablespoons olive oil, divided
- 1 pound boneless skinless chicken breast, sliced into thin strips
- 1 cup thinly sliced carrots
- 1 cup thinly sliced celery, sliced diagonally
- 1 teaspoon finely chopped lime basil (regular basil can be substituted)
- 1 cup low-sodium chicken broth
- 1 tablespoon cornstarch
- ¼ teaspoon sea salt
- ¼ teaspoon pepper
- 3 fully ripe kiwi fruit, peeled and thinly sliced
- ½ teaspoon grated lemon peel

Nutrition (per serving):

Calories: 243
Fat (g): 7
Sat. Fat (g): 1
Chol (mg): 66
Sodium (mg): 376
Carb (g): 15
Fiber (g): 3
Protein (g): 30

Core Food Plan (per serving):

Proteins: 3.5
ns Veg: 0.5
Fruits: 0.5

Directions

1. To a large skillet, add 1 tablespoon of the oil and heat over medium heat. Add chicken, and sauté until browned and cooked through (about 8–10 minutes). Remove from skillet and set aside.
2. Add remaining oil to the skillet, and sauté carrots and celery until crisp, but tender. Return chicken to skillet.
3. In small bowl, combine basil, chicken broth, cornstarch, sea salt, and pepper, and add to the chicken mixture in the skillet. Continue to cook over medium-low heat, and stir until thickened.
4. Finish by gently stirring kiwi fruit and lemon into mixture.

Tips: If following elimination diet, may substitute tapioca or arrowroot powder for cornstarch.



Savory Seed Crackers

Makes 8 servings (1 serving ≈ one 2-inch by 3-inch cracker or two 1-inch by 1½-inch crackers)

- ⅓ cup chia seeds
- ⅓ cup flax seeds
- ⅓ cup sunflower seeds
- ¼ cup water
- ⅛ teaspoon garlic powder
- ⅛ teaspoon onion powder
- ¼ teaspoon salt
- ¼ teaspoon guar or xanthan gum
- More water, if needed

Directions

1. Preheat oven to 300° F.
2. Mix all ingredients together and spread on greased parchment paper on a cookie sheet. Press flat (about ⅛-inch thick).
3. Bake for about 30 minutes on each side.
4. Immediately after removal from oven, score the seeds (they will still be pliable at this point, but score right away, as they will firm up quickly). A pizza cutter works well.

Tips: Before spreading on cookie sheet, oil hands or spatula, to keep seeds from sticking to hands.

Watch closely so that you don't burn the seeds. May consider longer duration of time at lower cooking temp (i.e., 250° F).

Nutrition (per serving):

Calories: 113
Fat (g): 8
Sat. Fat (g): 2
Chol (mg): 0
Sodium (mg): 73
Carb (g): 8
Fiber (g): 2
Protein (g): 4

Core Food Plan (per serving):

Nuts & Seeds: 2.5



Strawberry Peach Kale Smoothie

Makes 2 servings

- 2 cups unsweetened almond, hemp, or coconut milk
- 1 cup frozen strawberries (no sugar added)
- 1 cup frozen peaches (no sugar added)
- 2 cups fresh kale
- 1 teaspoon vanilla extract
- 2 scoops vanilla protein powder (whey or vegan varieties, like pea, rice, organic soy or hemp)

Directions

1. Put all in a blender, and mix well. Add ice to make smoothie more slushy, if desired.

Tips: Healthy options include adding 1 tablespoon ground flax or chia seed to add omega-3 fats and/or substituting organic baby spinach for the kale.

Nutrition (per serving):

Calories: 228
Fat (g): 6
Sat. Fat (g): 1
Chol (mg): 30
Sodium (mg): 260
Carb (g): 29
Fiber (g): 7
Protein (g): 20

Core Food Plan (per serving):

Proteins: 2
ns Veg: 1
Fruit: 1.5



Sweet Potato Hummus

Makes 8 servings (1 serving \approx $\frac{1}{3}$ cup)

- 1 large sweet potato (12–14 ounces), cooked and mashed
- 1 can (15 ounces) chick peas, drained, rinsed
- $\frac{1}{4}$ cup tahini
- $\frac{1}{4}$ cup fresh lemon juice
- 3 tablespoons extra-virgin olive oil
- 1 small clove garlic, halved
- $1\frac{1}{2}$ teaspoons fine sea salt
- 1 teaspoon ground cumin
- $\frac{1}{2}$ teaspoon cinnamon (optional)

Directions

1. Combine all ingredients in a food processor, and purée until smooth.

Tips: Serve with vegetables, whole grain pita bread, or seed crackers. To reduce sodium content per serving, cut added sea salt to half of current amount, add some pepper, or increase the other spices to desired taste.

Nutrition (per serving):

Calories: 180
Fat (g): 10
Sat. Fat (g): 1
Chol (mg): 0
Sodium (mg): 415
Carb (g): 19
Fiber (g): 3
Protein (g): 5

Core Food Plan (per serving):

Legumes: 0.5
Nuts & Seeds: 1
Fats & Oils: 1
s Veg: 0.5



Ten Vegetable Soup with Tempeh

Makes 4 servings

- 2 tablespoons extra virgin olive oil
- 3 cups chopped green cabbage, quartered
- 1 cup cauliflower florets, 1-inch pieces
- 1 medium leek, sliced (use white and 1 inch of light green part)
- 1 small onion, chopped
- 1 medium carrot, chopped
- 1 medium celery stalk, chopped
- 1 can (14.5 ounces) diced tomatoes (no salt added)
- 4 cups low-sodium chicken or vegetable broth
- 1 medium yellow-fleshed potato, diced
- ¼ cup chopped flat-leaf parsley (fresh)
- 1 tablespoon dried thyme
- 1½ cups packed Swiss chard or spinach, cut crosswise into ½-inch strips
- 2 cups tempeh
- ½ teaspoon sea salt
- ¼ teaspoon freshly ground pepper
- Pinch red pepper flakes or cayenne

Nutrition (per serving):

Calories: 341
Fat (g): 14
Sat. Fat (g): 2
Chol (mg): 0
Sodium (mg): 399
Carb (g): 38
Fiber (g): 6
Protein (g): 22

Core Food Plan (per serving):

Proteins: 1.5
Legumes: 0.5
Fats & Oils: 1.5
ns Veg: 3
s Veg: 1

Directions

1. Using a large Dutch oven or heavy soup pot with tight-fitting cover, heat oil over medium heat.
2. Add cabbage, cauliflower, leek, onion, carrot, and celery. Stirring occasionally, cook vegetables until cabbage is limp and onion translucent (about 4 to 5 minutes). Cover, reduce heat to low, and cook about 8 minutes (until vegetables release their juices).
3. Add tomatoes (with the liquid), broth, potato, parsley and thyme. Increase heat to medium-high until liquid boils. Cover, reduce heat, and simmer soup for 10 minutes.
4. Add Swiss chard and tempeh, and simmer for 10 minutes. Season soup with sea salt and pepper (and red pepper flakes, if desired). Let sit for 15 minutes before serving.

Tips: If desired, refrigerate for up to 4 days, reheating in covered pot over medium heat. Or divide cooled soup among re-sealable freezer bags and freeze. This soup keeps in freezer for up to 2 months.



Thai Barley and Veggie Stir-Fry with Edamame

Makes 4 servings

- ½ cup pearly barley
- 1 cup water
- 1 tablespoon coconut oil, divided
- 2 cloves garlic, finely chopped
- 1 cup thinly sliced Chinese or regular eggplant
- ½ cup chopped red bell pepper
- ½ cup chopped onion
- 1 cup green soybeans (edamame)
- 3 tablespoons chopped fresh basil leaves
- 1 tablespoon chopped fresh mint leaves
- 8 to 10 drops red pepper hot sauce
- 1 teaspoon low sodium soy sauce
- 2 tablespoons chopped unsalted cashews
- ½ cup shredded red cabbage
- ½ cup shredded carrots

Nutrition (per serving):

Calories: 267
Fat (g): 10
Sat. Fat (g): 4
Chol (mg): 0
Sodium (mg): 79
Carb (g): 35
Fiber (g): 9
Protein (g): 13

Core Food Plan (per serving):

Legumes: 1
Fats & Oils: 2
ns Veg: 2
Grains: 0.5

Directions

1. In a medium saucepan, combine barley and water, and bring to a boil. Reduce heat to low, cover, and then cook for 45 minutes or until the barley is tender and liquid is absorbed. Set aside.
2. In a large skillet or wok, heat 1 tablespoon of the coconut oil over medium-high heat. Add garlic and stir-fry for 3 to 4 minutes. Add the cooked barley and stir-fry an additional 3 minutes. Transfer mixture to a dish and set aside.
3. Return the same skillet to stove, and heat the remaining tablespoon of coconut oil over high-heat. Add the eggplant, bell pepper, onion, and soybeans, and stir-fry 3 to 4 minutes.
4. Add basil, mint, hot sauce, and soy sauce. Cook for about 2 minutes.
5. Add the barley and garlic mixture back to the pan, and heat for 3 minutes, stirring frequently.
6. Garnish by topping with chopped cashews, shredded red cabbage, and shredded carrots.



Vegetable Egg Scramble

Makes 1 serving

- 2 large eggs
- 1 tablespoon water
- 1 teaspoon extra-virgin olive oil
- 1 cup assorted chopped raw vegetables (onions, red bell peppers, tomatoes, broccoli, zucchini, summer squash, asparagus, mushrooms, etc.)
- 1 pinch sea salt
- 1 pinch freshly ground black pepper
- 2 tablespoons chunky tomato salsa

Directions

1. In a small bowl, whisk together the eggs and water until well-mixed.
2. In a small cast iron pan, heat the oil over medium heat, and add the vegetables. Sauté until the vegetables are tender but still crisp (about 2–3 minutes).
3. Add the eggs by pouring over the vegetables. Cook, stirring constantly, until the eggs are scrambled and set.
4. Season with sea salt and black pepper, and top with the salsa.

Nutrition (per serving):

Calories: 200
Fat (g): 14
Sat. Fat (g): 3
Chol (mg): 374
Sodium (mg): 271
Carb (g): 7
Fiber (g): 3
Protein (g): 14

Core Food Plan (per serving):

Proteins: 2
Fats & Oils: 1.5
ns Veg: 1



Cardiometabolic Food Plan (1200–1400 Calories)

PROTEINS

Proteins

Servings/day: 7–9

Lean, free-range, grass-fed, organically grown meats; non-GMO plant proteins and wild-caught fish preferred

Animal Proteins:

- Cheese, low-fat—1 oz
- Cheese, hard—½ oz
- Cottage cheese, low-fat—¼ c
- Egg or 2 egg whites—1
- Egg substitute—⅔ c
- Feta cheese, low-fat—1 oz
- Parmesan cheese—2 T
- Ricotta cheese, low-fat—¼ c
- Fish/Shellfish:**
Halibut, herring, mackerel, salmon, sardines, tuna, etc.—1 oz

- Meat: Beef, buffalo, elk, lamb, venison, other wild game—1 oz
- Poultry (skinless): Chicken, Cornish hen, turkey—1 oz

Plant Protein:

- Burger alternatives: Bean, mushroom, soy, veggie—1 oz
- Miso**—3 T
- Tofu, tempeh**—½ c
- Protein Powder:**
- Check label for # grams scoop—1 protein serving = 7 g Egg, hemp, pea, rice, **soy**, whey

1 oz serving = 35–75 calories, 7 g protein

LEGUMES

Proteins/Carbs

Servings/day: 1

- Bean soups—¾ c
- Black soybeans**, cooked—½ c
- Dried beans, lentils, peas, (cooked)—½ c
- Edamame** (cooked)—½ c
- Flour, legume—¼ c
- Green peas (cooked)—½ c

- Hummus or other bean dips—⅓ c

- Refined beans, vegetarian—¼ c

1 serving = 110 calories, 15 g carbs, 7 g protein

DAIRY & ALTERNATIVES

Proteins/Carbs

Servings/day: 1

Unsweetened

- Buttermilk—4 oz
- Kefir, plain**—4 oz
- Milk: Cow, goat—4 oz
- Milk: Almond, coconut, flaxseed, hazelnut, hemp, oat, **soy**—8 oz
- Yogurt, plain** or coconut (cultured coconut milk)—6 oz
- Yogurt, Greek, plain**—4 oz

1 serving = 50–100 calories, 12g carbs, 7g protein

Low Sugar Impact Recommendations
Limit to 1–2 servings per day

NUTS & SEEDS

Proteins/Fats

Servings/day: 2

- Almonds**—6
- Brazil nuts**—2
- Cashews**—6
- Chia seeds**—1 T
- Coconut, dried flakes, unsweetened—3 T
- Flaxseed, ground**—2 T
- Hazelnuts**—5
- Hemp seeds**—1 T
- Mixed nuts**—6
- Nut and seed butters**—½ T
- Peanuts—10
- Pecan halves**—4
- Pine nuts—1 T
- Pistachios**—16
- Pumpkin seeds—1 T
- Sesame seeds—1 T
- Soy nuts**—2 T
- Sunflower seed kernels—1 T
- Walnut halves**—4

1 serving = 45 calories, 4 g fat

FATS & OILS

Fats

Servings/day: 3–4

Minimally refined, cold-pressed, organic, non-GMO preferred

- Avocado**—2 T
- Butter—1 t, 2 t whipped
- Chocolate, dark, 70% or higher cocoa—1 sq, 1 square = 7 g
- Coconut milk, regular, canned—1½ T
- Coconut milk, light, canned—3 T
- Ghee/clarified butter—1 t
- Mayonnaise, unsweetened—1 t
- Olives, black or green**—8
- Oils, cooking: Butter, coconut (virgin), grapeseed, **olive (extra virgin)** rice bran, sesame—1 t
- Oils, salad: Almond, avocado, canola, flaxseed, grapeseed, hempseed, high-oleic safflower, **olive (extra virgin)**, pumpkin seed, rice bran, sesame, sunflower, walnut,—1 t

1 serving = 45 calories, 5 g fat

Items in blue indicate preferred therapeutic foods

Notes: Nutritional amounts are based on average values for the variety of foods within each food category. Dietary prescription is subject to the discretion of the health practitioner.



© 2014 The Institute for Functional Medicine

VEGETABLES Non-starchy **Carbs**

Servings/day: 5-7

- Artichoke**
- Arugula
- Asparagus
- Bamboo shoots
- Bok choy
- Broccoflower
- Broccoli
- Brussels sprouts
- Cabbage
- Carrots
- Cauliflower
- Celeriac root
- Celery**
- Chard/Swiss chard**
- Chervil**
- Chinese cabbage**
- Chives
- Cilantro
- Cucumbers
- Daikon radishes
- Eggplant
- Endive**
- Escarole
- Fennel**
- Garlic**
- Green beans
- Greens (beet, collard, dandelion, kale, mustard, turnip)**
- Herbs/Spices, all
- Horseradish
- Jicama
- Kohlrabi**
- Leeks**
- Lettuce, all**
- Microgreens**
- Mushrooms
- Okra
- Onions**
- Parsley**
- Peppers, all
- Radicchio
- Radishes
- Salsa
- Scallions**
- Sea vegetables
- Shallots**
- Snap peas/snow peas
- Spinach**
- Sprouts, all
- Squash (delicata, pumpkin, spaghetti, yellow, zucchini)
- Tomato**
- Tomato juice— $\frac{3}{4}$ c
- Turnips
- Vegetable juice— $\frac{3}{4}$ c
- Vegetables, fermented
- Water chestnuts
- Watercress**

1 serving = $\frac{1}{2}$ c cooked, 1 c raw, 25 calories, 5 g carbs

VEGETABLES Starchy **Carbs**

Servings/day: 1

- Acorn squash,
- Beets, cubed**—1 c
- Butternut squash,
- Plantain ($\frac{1}{2}$ whole)— $\frac{1}{3}$ c
- Potato: Purple, red, sweet, yellow— $\frac{1}{2}$ med
- Potatoes, mashed— $\frac{1}{2}$ c
- Root vegetables: parsnip, rutabaga— $\frac{1}{2}$ c
- Yam— $\frac{1}{2}$ med

1 serving = 80 calories, 15 g carbs
Low Sugar Impact Recommendations
 Short term: Consider removal
 Long term: Limit to 1 serving per day

FRUITS **Carbs**

Servings/day: 2

- Unsweetened, no sugar added**
- Apple—1 sm
 - Applesauce— $\frac{1}{2}$ c
 - Apricots, fresh—4
 - Banana— $\frac{1}{2}$ med
 - Blackberries— $\frac{3}{4}$ c
 - Blueberries**— $\frac{3}{4}$ c
 - Cherries—12
 - Grapefruit— $\frac{1}{2}$
 - Grapes—15
 - Kiwi—1
 - Mango— $\frac{1}{2}$ sm
 - Melon, all—1 c
 - Nectarine—1 sm
 - Orange—1 sm
 - Papaya—1 c
 - Peach—1
 - Pear—1 sm
 - Persimmon— $\frac{1}{2}$
 - Pineapple— $\frac{3}{4}$ c
 - Plums—2 sm
 - Pomegranate seeds**— $\frac{1}{2}$ c
 - Raspberries—1 c
 - Strawberries— $1\frac{1}{4}$ c
 - Tangerines—2 sm

1 serving = 60 calories, 15 g carbs
Low Sugar Impact Recommendations
 Limit to 2 servings per day
 Avoid dried fruit and fruit juices

WHOLE GRAINS (100%) **Carbs**

Servings/day: 1

- Unsweetened**
- Amaranth* (cooked)— $\frac{3}{4}$ c
 - Barley, cooked**— $\frac{1}{3}$ c
 - Bread—1 sl
 - Buckwheat/Kasha* (cooked)— $\frac{1}{2}$ c
 - Bulgur (cooked)— $\frac{1}{2}$ c
 - Couscous— $\frac{1}{3}$ c
 - Crackers, rye—4-7
 - English muffin— $\frac{1}{2}$
 - Kamut (cooked)— $\frac{1}{2}$ c
 - Millet* (cooked)— $\frac{1}{2}$ c
 - Muesli— $\frac{1}{2}$ c
 - Oats*** (cooked; rolled oats, steel-cut oats)— $\frac{1}{2}$ c
 - Pasta (cooked)— $\frac{1}{3}$ c
 - Pita— $\frac{1}{2}$
 - Quinoa* (cooked)— $\frac{1}{2}$ c
 - Rice* (cooked; basmati, black, brown, purple, red, wild)— $\frac{1}{3}$ c
 - Semolina (cooked)— $\frac{1}{8}$ c
 - Sorghum* (cooked)— $\frac{1}{8}$ c
 - Spelt (cooked)— $\frac{1}{3}$ c
 - Teff* (cooked)— $\frac{3}{4}$ c
 - Tortilla (wheat, teff*)—1, 6 in
 - Whole wheat cereal (cooked)— $\frac{1}{2}$ c

1 serving = 75-110 calories, 15 g carbs *Gluten free
Low Sugar Impact Recommendations
 Short term: Consider removal
 Long term: Limit to 1-2 servings per day

BEVERAGES

- Beetroot juice
- Filtered water
- Sparkling/mineral water
- Green tea
- Low-sodium vegetable juice
- Steamed soy milk (organic, unsweetened)
- Unsweetened nut/seed milks





Cardiometabolic Food Plan (1400–1800 Calories)

PROTEINS

Proteins

Servings/day: 9–10

Lean, free-range, grass-fed, organically grown meats; non-GMO plant proteins and wild-caught fish preferred

Animal Proteins:

- Cheese, low-fat—1 oz
- Cheese, hard—½ oz
- Cottage cheese, low-fat—¼ c
- Egg or 2 egg whites—1
- Egg substitute—⅔ c
- Feta cheese, low-fat—1 oz
- Parmesan cheese—2 T
- Ricotta cheese, low-fat—¼ c
- Fish/Shellfish:**
Halibut, herring, mackerel, salmon, sardines, tuna, etc.—1 oz

- Meat: Beef, buffalo, elk, lamb, venison, other wild game—1 oz
- Poultry (skinless): Chicken, Cornish hen, turkey—1 oz

Plant Protein:

- Burger alternatives: Bean, mushroom, soy, veggie—1 oz
- Miso**—3 T
- Tofu, tempeh**—½ c
- Protein Powder:**
- Check label for # grams scoop—1 protein serving = 7 g Egg, hemp, pea, rice, **soy**, whey

1 oz serving = 35–75 calories, 7 g protein

LEGUMES

Proteins/Carbs

Servings/day: 1–2

- Bean soups—¾ c
- Black soybeans**, cooked—½ c
- Dried beans, lentils, peas, (cooked)—½ c
- Edamame** (cooked)—½ c
- Flour, legume—¼ c
- Green peas (cooked)—½ c

- Hummus or other bean dips—⅓ c

- Refined beans, vegetarian—¼ c

1 serving = 110 calories, 15 g carbs, 7 g protein

DAIRY & ALTERNATIVES *Proteins/Carbs*

Servings/day: 1–2

Unsweetened

- Buttermilk—4 oz
- Kefir, plain**—4 oz
- Milk: Cow, goat—4 oz
- Milk: Almond, coconut, flaxseed, hazelnut, hemp, oat, **soy**—8 oz
- Yogurt, plain** or coconut (cultured coconut milk)—6 oz
- Yogurt, Greek, plain**—4 oz

1 serving = 50–100 calories, 12g carbs, 7g protein

Low Sugar Impact Recommendations
Limit to 1–2 servings per day

NUTS & SEEDS *Proteins/Fats*

Servings/day: 2–3

- Almonds**—6
- Brazil nuts**—2
- Cashews**—6
- Chia seeds**—1 T
- Coconut, dried flakes, unsweetened—3 T
- Flaxseed, ground**—2 T
- Hazelnuts**—5
- Hemp seeds**—1 T
- Mixed nuts**—6
- Nut and seed butters**—½ T
- Peanuts—10
- Pecan halves**—4
- Pine nuts—1 T
- Pistachios**—16
- Pumpkin seeds—1 T
- Sesame seeds—1 T
- Soy nuts**—2 T
- Sunflower seed kernels—1 T
- Walnut halves**—4

1 serving = 45 calories, 4 g fat

FATS & OILS

Fats

Servings/day: 4

Minimally refined, cold-pressed, organic, non-GMO preferred

- Avocado**—2 T
- Butter—1 t, 2 t whipped
- Chocolate, dark, 70% or higher cocoa—1 sq, 1 square = 7 g
- Coconut milk, regular, canned—1½ T
- Coconut milk, light, canned—3 T
- Ghee/clarified butter—1 t
- Mayonnaise, unsweetened—1 t
- Olives, black or green**—8
- Oils, cooking: Butter, coconut (virgin), grapeseed, **olive (extra virgin)** rice bran, sesame—1 t
- Oils, salad: Almond, avocado, canola, flaxseed, grapeseed, hempseed, high-oleic safflower, **olive (extra virgin)**, pumpkin seed, rice bran, sesame, sunflower, walnut,—1 t

1 serving = 45 calories, 5 g fat

Items in blue indicate preferred therapeutic foods

Notes: Nutritional amounts are based on average values for the variety of foods within each food category. Dietary prescription is subject to the discretion of the health practitioner.



© 2014 The Institute for Functional Medicine

VEGETABLES Non-starchy **Carbs**

Servings/day: 7-8

- Artichoke**
- Arugula
- Asparagus
- Bamboo shoots
- Bok choy
- Broccoflower
- Broccoli
- Brussels sprouts
- Cabbage
- Carrots
- Cauliflower
- Celeriac root
- Celery**
- Chard/Swiss chard**
- Chervil**
- Chinese cabbage**
- Chives
- Cilantro
- Cucumbers
- Daikon radishes
- Eggplant
- Endive**
- Escarole
- Fennel**
- Garlic**
- Green beans
- Greens (beet, collard, dandelion, kale, mustard, turnip)**
- Herbs/Spices, all
- Horseradish
- Jicama
- Kohlrabi**
- Leeks**
- Lettuce, all**
- Microgreens**
- Mushrooms
- Okra
- Onions**
- Parsley**
- Peppers, all
- Radicchio
- Radishes
- Salsa
- Scallions**
- Sea vegetables
- Shallots**
- Snap peas/snow peas
- Spinach**
- Sprouts, all
- Squash (delicata, pumpkin, spaghetti, yellow, zucchini)
- Tomato**
- Tomato juice— $\frac{3}{4}$ c
- Turnips
- Vegetable juice— $\frac{3}{4}$ c
- Vegetables, fermented
- Water chestnuts
- Watercress**

1 serving = $\frac{1}{2}$ c cooked, 1 c raw, 25 calories, 5 g carbs

VEGETABLES Starchy **Carbs**

Servings/day: 1

- Acorn squash,
- Beets, cubed**—1 c
- Butternut squash,
- Plantain ($\frac{1}{2}$ whole)— $\frac{1}{3}$ c
- Potato: Purple, red, sweet, yellow— $\frac{1}{2}$ med
- Potatoes, mashed— $\frac{1}{2}$ c
- Root vegetables: parsnip, rutabaga— $\frac{1}{2}$ c
- Yam— $\frac{1}{2}$ med

1 serving = 80 calories, 15 g carbs
Low Sugar Impact Recommendations
 Short term: Consider removal
 Long term: Limit to 1 serving per day

FRUITS **Carbs**

Servings/day: 2

- Unsweetened, no sugar added**
- Apple—1 sm
 - Applesauce— $\frac{1}{2}$ c
 - Apricots, fresh—4
 - Banana— $\frac{1}{2}$ med
 - Blackberries— $\frac{3}{4}$ c
 - Blueberries**— $\frac{3}{4}$ c
 - Cherries—12
 - Grapefruit— $\frac{1}{2}$
 - Grapes—15
 - Kiwi—1
 - Mango— $\frac{1}{2}$ sm
 - Melon, all—1 c
 - Nectarine—1 sm
 - Orange—1 sm
 - Papaya—1 c
 - Peach—1
 - Pear—1 sm
 - Persimmon— $\frac{1}{2}$
 - Pineapple— $\frac{3}{4}$ c
 - Plums—2 sm
 - Pomegranate seeds**— $\frac{1}{2}$ c
 - Raspberries—1 c
 - Strawberries— $1\frac{1}{4}$ c
 - Tangerines—2 sm

1 serving = 60 calories, 15 g carbs
Low Sugar Impact Recommendations
 Limit to 2 servings per day
 Avoid dried fruit and fruit juices

WHOLE GRAINS (100%) **Carbs**

Servings/day: 1-2

- Unsweetened**
- Amaranth* (cooked)— $\frac{3}{4}$ c
 - Barley, cooked**— $\frac{1}{3}$ c
 - Bread—1 sl
 - Buckwheat/Kasha* (cooked)— $\frac{1}{2}$ c
 - Bulgur (cooked)— $\frac{1}{2}$ c
 - Couscous— $\frac{1}{3}$ c
 - Crackers, rye—4-7
 - English muffin— $\frac{1}{2}$
 - Kamut (cooked)— $\frac{1}{2}$ c
 - Millet* (cooked)— $\frac{1}{2}$ c
 - Muesli— $\frac{1}{2}$ c
 - Oats*** (cooked; rolled oats, steel-cut oats)— $\frac{1}{2}$ c
 - Pasta (cooked)— $\frac{1}{3}$ c
 - Pita— $\frac{1}{2}$
 - Quinoa* (cooked)— $\frac{1}{2}$ c
 - Rice* (cooked; basmati, black, brown, purple, red, wild)— $\frac{1}{3}$ c
 - Semolina (cooked)— $\frac{1}{8}$ c
 - Sorghum* (cooked)— $\frac{1}{8}$ c
 - Spelt (cooked)— $\frac{1}{3}$ c
 - Teff* (cooked)— $\frac{3}{4}$ c
 - Tortilla (wheat, teff*)—1, 6 in
 - Whole wheat cereal (cooked)— $\frac{1}{2}$ c

1 serving = 75-110 calories, 15 g carbs *Gluten free
Low Sugar Impact Recommendations
 Short term: Consider removal
 Long term: Limit to 1-2 servings per day

BEVERAGES

- Beetroot juice
- Filtered water
- Sparkling/mineral water
- Green tea
- Low-sodium vegetable juice
- Steamed soy milk (organic, unsweetened)
- Unsweetened nut/seed milks





Cardiometabolic Food Plan (1800–2200 Calories)

PROTEINS

Proteins

Servings/day: 10–12

Lean, free-range, grass-fed, organically grown meats; non-GMO plant proteins and wild-caught fish preferred

Animal Proteins:

- Cheese, low-fat—1 oz
- Cheese, hard—½ oz
- Cottage cheese, low-fat—¼ c
- Egg or 2 egg whites—1
- Egg substitute—⅔ c
- Feta cheese, low-fat—1 oz
- Parmesan cheese—2 T
- Ricotta cheese, low-fat—¼ c
- Fish/Shellfish:**
Halibut, herring, mackerel, salmon, sardines, tuna, etc.—1 oz

- Meat: Beef, buffalo, elk, lamb, venison, other wild game—1 oz
- Poultry (skinless): Chicken, Cornish hen, turkey—1 oz

Plant Protein:

- Burger alternatives: Bean, mushroom, soy, veggie—1 oz
- Miso**—3 T
- Tofu, tempeh**—½ c
- Protein Powder:**
- Check label for # grams scoop—1 protein serving = 7 g Egg, hemp, pea, rice, **soy**, whey

1 oz serving = 35–75 calories, 7 g protein

LEGUMES

Proteins/Carbs

Servings/day: 2–3

- Bean soups—¾ c
- Black soybeans**, cooked—½ c
- Dried beans, lentils, peas, (cooked)—½ c
- Edamame** (cooked)—½ c
- Flour, legume—¼ c
- Green peas (cooked)—½ c

- Hummus or other bean dips—⅓ c

- Refined beans, vegetarian—¼ c

1 serving = 110 calories, 15 g carbs, 7 g protein

DAIRY & ALTERNATIVES

Proteins/Carbs

Servings/day: 2–3

Unsweetened

- Buttermilk—4 oz
- Kefir, plain**—4 oz
- Milk: Cow, goat—4 oz
- Milk: Almond, coconut, flaxseed, hazelnut, hemp, oat, **soy**—8 oz
- Yogurt, plain** or coconut (cultured coconut milk)—6 oz
- Yogurt, Greek, plain**—4 oz

1 serving = 50–100 calories, 12g carbs, 7g protein

Low Sugar Impact Recommendations
Limit to 1–2 servings per day

NUTS & SEEDS

Proteins/Fats

Servings/day: 3–4

- Almonds**—6
- Brazil nuts**—2
- Cashews**—6
- Chia seeds**—1 T
- Coconut, dried flakes, unsweetened—3 T
- Flaxseed, ground**—2 T
- Hazelnuts**—5
- Hemp seeds**—1 T
- Mixed nuts**—6
- Nut and seed butters**—½ T
- Peanuts—10
- Pecan halves**—4
- Pine nuts—1 T
- Pistachios**—16
- Pumpkin seeds—1 T
- Sesame seeds—1 T
- Soy nuts**—2 T
- Sunflower seed kernels—1 T
- Walnut halves**—4

1 serving = 45 calories, 4 g fat

FATS & OILS

Fats

Servings/day: 4

Minimally refined, cold-pressed, organic, non-GMO preferred

- Avocado**—2 T
- Butter—1 t, 2 t *whipped*
- Chocolate, dark, 70% or higher cocoa—1 sq, 1 square = 7 g
- Coconut milk, regular, canned—1½ T
- Coconut milk, light, canned—3 T
- Ghee/clarified butter—1 t
- Mayonnaise, unsweetened—1 t
- Olives, black or green**—8
- Oils, cooking: Butter, coconut (virgin), grapeseed, **olive (extra virgin)** rice bran, sesame—1 t
- Oils, salad: Almond, avocado, canola, flaxseed, grapeseed, hempseed, high-oleic safflower, **olive (extra virgin)**, pumpkin seed, rice bran, sesame, sunflower, walnut,—1 t

1 serving = 45 calories, 5 g fat

Items in blue indicate preferred therapeutic foods

Notes: Nutritional amounts are based on average values for the variety of foods within each food category. Dietary prescription is subject to the discretion of the health practitioner.



© 2014 The Institute for Functional Medicine

VEGETABLES Non-starchy **Carbs**

Servings/day: 8-10

- Artichoke**
- Arugula
- Asparagus
- Bamboo shoots
- Bok choy
- Broccoflower
- Broccoli
- Brussels sprouts
- Cabbage
- Carrots
- Cauliflower
- Celeriac root
- Celery**
- Chard/Swiss chard**
- Chervil**
- Chinese cabbage**
- Chives
- Cilantro
- Cucumbers
- Daikon radishes
- Eggplant
- Endive**
- Escarole
- Fennel**
- Garlic**
- Green beans
- Greens (beet, collard, dandelion, kale, mustard, turnip)**
- Herbs/Spices, all
- Horseradish
- Jicama
- Kohlrabi**
- Leeks**
- Lettuce, all**
- Microgreens**
- Mushrooms
- Okra
- Onions**
- Parsley**
- Peppers, all
- Radicchio
- Radishes
- Salsa
- Scallions**
- Sea vegetables
- Shallots**
- Snap peas/snow peas
- Spinach**
- Sprouts, all
- Squash (delicata, pumpkin, spaghetti, yellow, zucchini)
- Tomato**
- Tomato juice— $\frac{3}{4}$ c
- Turnips
- Vegetable juice— $\frac{3}{4}$ c
- Vegetables, fermented
- Water chestnuts
- Watercress**

1 serving = $\frac{1}{2}$ c cooked, 1 c raw, 25 calories, 5 g carbs

VEGETABLES Starchy **Carbs**

Servings/day: 1

- Acorn squash,
- Beets, cubed**—1 c
- Butternut squash,
- Plantain ($\frac{1}{2}$ whole)— $\frac{1}{3}$ c
- Potato: Purple, red, sweet, yellow— $\frac{1}{2}$ med
- Potatoes, mashed— $\frac{1}{2}$ c
- Root vegetables: parsnip, rutabaga— $\frac{1}{2}$ c
- Yam— $\frac{1}{2}$ med

1 serving = 80 calories, 15 g carbs
Low Sugar Impact Recommendations
 Short term: Consider removal
 Long term: Limit to 1 serving per day

FRUITS **Carbs**

Servings/day: 2

- Unsweetened, no sugar added**
- Apple—1 sm
 - Applesauce— $\frac{1}{2}$ c
 - Apricots, fresh—4
 - Banana— $\frac{1}{2}$ med
 - Blackberries— $\frac{3}{4}$ c
 - Blueberries**— $\frac{3}{4}$ c
 - Cherries—12
 - Grapefruit— $\frac{1}{2}$
 - Grapes—15
 - Kiwi—1
 - Mango— $\frac{1}{2}$ sm
 - Melon, all—1 c
 - Nectarine—1 sm
 - Orange—1 sm
 - Papaya—1 c
 - Peach—1
 - Pear—1 sm
 - Persimmon— $\frac{1}{2}$
 - Pineapple— $\frac{3}{4}$ c
 - Plums—2 sm
 - Pomegranate seeds**— $\frac{1}{2}$ c
 - Raspberries—1 c
 - Strawberries—1 $\frac{1}{4}$ c
 - Tangerines—2 sm

1 serving = 60 calories, 15 g carbs
Low Sugar Impact Recommendations
 Limit to 2 servings per day
 Avoid dried fruit and fruit juices

WHOLE GRAINS (100%) **Carbs**

Servings/day: 2

- Unsweetened**
- Amaranth* (cooked)— $\frac{3}{4}$ c
 - Barley, cooked**— $\frac{1}{3}$ c
 - Bread—1 sl
 - Buckwheat/Kasha* (cooked)— $\frac{1}{2}$ c
 - Bulgur (cooked)— $\frac{1}{2}$ c
 - Couscous— $\frac{1}{3}$ c
 - Crackers, rye—4-7
 - English muffin— $\frac{1}{2}$
 - Kamut (cooked)— $\frac{1}{2}$ c
 - Millet* (cooked)— $\frac{1}{2}$ c
 - Muesli— $\frac{1}{2}$ c
 - Oats*** (cooked; rolled oats, steel-cut oats)— $\frac{1}{2}$ c
 - Pasta (cooked)— $\frac{1}{3}$ c
 - Pita— $\frac{1}{2}$
 - Quinoa* (cooked)— $\frac{1}{2}$ c
 - Rice* (cooked; basmati, black, brown, purple, red, wild)— $\frac{1}{3}$ c
 - Semolina (cooked)— $\frac{1}{8}$ c
 - Sorghum* (cooked)— $\frac{1}{8}$ c
 - Spelt (cooked)— $\frac{1}{3}$ c
 - Teff* (cooked)— $\frac{3}{4}$ c
 - Tortilla (wheat, teff*)—1, 6 in
 - Whole wheat cereal (cooked)— $\frac{1}{2}$ c

1 serving = 75-110 calories, 15 g carbs *Gluten free
Low Sugar Impact Recommendations
 Short term: Consider removal
 Long term: Limit to 1-2 servings per day

BEVERAGES

- Beetroot juice
- Filtered water
- Sparkling/mineral water
- Green tea
- Low-sodium vegetable juice
- Steamed soy milk (organic, unsweetened)
- Unsweetened nut/seed milks